

REFERENCES

References

- [1] ABBOTT, H.L., A Note on the snake-in-the-box problem, unpublished manuscript; Some Problems in Combinatorial Analysis, Ph.D. thesis, University of Alberta, Edmonton, Canada, (1965).
- [2] ABBOTT, H.L., KATCHALSKI, M., On the snake in the box problem, *J. Comb. Theory Ser. B* (1) **45** (1988), 13–24.
- [3] AJTAI, M., KOMLÓS, J., SZEMERÉDI, E., A note on Ramsey numbers, *J. Comb. Theory Ser. A* **29** (1980), 354–360.
- [4] ALON, N., Splitting necklaces, *Advances in Mathematics* **63** (1987), 247–258.
- [5] ALON, N., WEST, D.B., The Borsuk-Ulam theorem and bisection of necklaces, *Proc. Amer. Math. Soc.* **98** (1986), 623–628.
- [6] BAJMÓCZY, E.G., BÁRÁNY, I., On a common generalization of Borsuk’s and Radon’s theorem, *Acta Math. Acad. Sci. Hungar.* (3–4) **34** (1979), 347–350.
- [7] BÁRÁNY, I., SHLOSMAN, S.B., SZÜCS, A., On a topological generalization of a theorem of Tveberg, *J. London Math. Soc.* (2) **23** (1981), 158–164.
- [8] BHATT, S.N., LEIGHTON, F.T., A framework for solving VLSI graph layout problems, *J. Comp. System Sci.* **28** (1984), 300–343.
- [9] BHATT, S.N., LEISERSON, C.E., How to assemble tree machines, in “Proc. 14th Symp. on the Theory of Computing”, San Francisco 1981, pp. 99–104.
- [10] BLOOM, G., Problem posed at the Graph Theory meeting of the New York Academy of Sciences, November 1989.
- [11] BOLLOBÁS, B., Extremal Graph Theory, Academic Press, London 1978, xx+488pp.
- [12] BOLLOBÁS, B., Random Graphs, Academic Press, London 1985, xvi+447pp.
- [13] BORSUK, K., Drei Sätze über die n -dimensionale euklidische Sphäre, *Fund. Math.* **20** (1933), 177–190.

- [14] CHARTRAND, G., GELLER, D.P., HEDETNIEMI, S., A generalization of the chromatic number, *Proc. Cambridge Phil. Soc.* **64** (1968), 265–271.
- [15] DANZER, L., KLEE, V., Length of snakes in boxes, *J. Combinatorial Theory* **2** (1967), 258–265.
- [16] DAVIES, D.W., Longest “separated” paths and loops in an N cube, *IEEE Trans. Electronic Computers* **14** (1965), 261.
- [17] DEIMER, K., A new upper bound for the length of snakes, *Combinatorica* (2) **5** (1985), 109–120.
- [18] DESCARTES, B., A three colour problem, *Eureka*, April 1947, Solution March 1948.
- [19] DESCARTES, B., Solution to advanced problem no. 4526, proposed by Ungár, P., *Amer. Math. Monthly* **61** (1954), 352.
- [20] , *Discrete Mathematics*, (2) **55** (1985).
- [21] DUKE, R.A., Can the complete graph with $2n + 1$ vertices be packed with copies of an arbitrary tree having n edges?, *Am. Math. Mon.* **76** (1969), 1128–1130.
- [22] ERDŐS, P., Graph theory and probability II, *Canad. J. Math.* **13** (1961), 346–352.
- [23] ERDŐS, P., On the construction of certain graphs, *J. Comb. Theory* **1** (1966), 149–153.
- [24] ERDŐS, P., GOODMAN, A., PÓSA, L., The representation of a graph by set intersections, *Canad. J. Math.* **18** (1966), 106–112.
- [25] EVDOKIMOV, A.A., The maximal length of a chain in the unit n -dimensional cube. *Mat. Zametki* **6** (1969), 309–319. English translation in *Math. Notes* **6** (1969), 642–648.
- [26] EVDOKIMOV, A.A., The maximal length of a chain in n -dimensional cube and some closed problems. Dissertation Cand. Sc. (1971), 58pp.
- [27] EVEN, S., Snake-in-the-box codes, *IEEE Trans. Electronic Computers* **12** (1963), 18.
- [28] FULKERSON, D.R., GROSS, O.A., Incidence matrices and interval graphs, *Pacific J. Math.* **15** (1965), 835–855.
- [29] GILMORE, P.C., HOFFMAN, A.J., A characterisation of comparability graphs and of interval graphs, *Canad. J. Math.* **16** (1964), 539–548.
- [30] GIONFRIDDO, M., A short survey on some generalized colourings of graphs, *Ars Combinatoria* **24 B** (1987), 155–163.
- [31] GIONFRIDDO, M., MILICI, S., On the parameter $\nu_2(h)$ for L_2 -coloured graphs, *Discrete Math.* **68** (1988), 107–110.

- [32] GIONFRIDDO, M., VANSTONE, S., On L_2 -colourings of a graph, *J. Information and Opt. Sciences* **6** (1985), 243–246.
- [33] GLAGOLEV, V.V., EVDOKIMOV, A.A., The minimal coloring of a certain infinite graph, *Diskret. Analiz* **17** (1970), 9–17.
- [34] GOLDBERG, C.H., WEST, D.B., Bisection of circle colorings, *SIAM J. Algebraic Discrete Methods* **6** (1985), 93–106.
- [35] GOLOMB, S.W., How to number a graph, in *Graph Theory and Computing*, R.C. Read, Ed. Academic Press, New York, N.Y. 1972, pp. 23–37.
- [36] GRÜNBAUM, B., *Convex Polytopes*, Interscience, London 1967.
- [37] KAUTZ, W.H., Unit-distance error-checking codes, *IRE Trans. Electronic Computers* **3** (1958), 179–180.
- [38] KLEITMAN, D.J., On a combinatorial conjecture of Erdős, *J. Comb. Theory* **1** (1966), 209–214.
- [39] KOHAYAKAWA, Y., WOJCIECHOWSKI, J., On small graphs with highly imperfect powers, submitted to *Discrete Mathematics*.
- [40] KOTZIG, A., On certain vertex-valuations of finite graphs, *Utilitas Math.* **4** (1973), 261–290.
- [41] KRAMER, F., KRAMER, H., Un problème de coloration des sommets d’un graphe, *C. R. Acad. Sci. Paris* **268 A** (1969), 46–48.
- [42] KRAMER, F., KRAMER, H., On the generalized chromatic number, in “Combinatorics ’84”, *Annals of Discrete Mathematics* (30) (Barlotti, A., Biliotti, M., Cossu A., Korchmaros, G. and Tallini, G. eds), North-Holland, Amsterdam 1986, pp. 275–284.
- [43] KRASNOSELSKY, M.A., ZABREJKO, P.P., *Geometritsheskie Zadatshi Nelinejnogo Analiza*, Nauka, Moscow 1975.
- [44] LEKKERKERKER, C.G., BOLAND, J.C., Representation of finite graphs by a set of intervals on the real line, *Fund. Math.* **51** (1962), 45–64.
- [45] MAEHARA, H., A digraph represented by a family of boxes or spheres, *J. Graph Theory* **8** (1984), 431–439.
- [46] RAMANUJACHARYULU, C., MENON, V.V., A note on the snake-in-the-box problem, *Publ. Inst. Statist. Univ. Paris* **13** (1964), 131–135.
- [47] RINGEL, G., Problem 25, *Theory of Graphs and Its Applications*, Proc. Int. Symp. Smolenice (June 1963), Czech Acad. Sci. Prague, Czech. 1964, p. 162.
- [48] ROSA, A., On certain valuations of the vertices of a graph, *Theory of Graphs*, Gordon and Breach, New York, N.Y. 1967, pp. 349–355.
- [49] ROSA, A., Labeling snakes, *Ars Combinatoria* **3** (1977), 67–74.

- [50] SEN, M., DAS, S., ROY, A.B., WEST, B.D., Interval digraphs: an analogue of interval graphs, *preprint*.
- [51] SINGLETON, R.C., Generalized snake-in-the-box codes, *IEEE Trans. Electronic Computers* **15** (1966), 596–602.
- [52] SHEARER, J.B., A note on the independence number of a triangle-free graph, *Discrete Math.* **46** (1983), 83–87.
- [53] SHEPPARD, D.A., The factorial representation of balanced labeled graphs, *Discrete Math.* **15** (1976), 379–388.
- [54] SOLOV'JEVA, F.I., Upper bound for the length of a cycle in an n -dimensional unit cube, *Methods of Diskrete Analiz* **45** (1987), 71–76.
- [55] SPENCER, J., Asymptotic lower bounds for Ramsey numbers, *Discrete Math.* **20** (1977), 69–76.
- [56] SPERANZA, F., *Colorazioni di specie superiore d'un grafo*, Boll. Un. Matem. Ital. (4) **12**, suppl. fasc. 3 (1975), 53–62.
- [57] STANTON, R.G., ZARNKE, C.R., Labelling of balanced trees, Proc. Fourth S. E. Conf. Combinatorics Graph Theory Comp. Utilitas Math., Winnipeg, Manitoba, Canada 1973, pp. 479–495.
- [58] VASIL'EV, JU. I., On the length of a cycle in an n -dimensional unit cube, *Soviet Math. Dokl.* **4** (1963), 160–163 (transl. from *Dokl. Acad. Nauk SSSR* **184** (1963) 753–756).
- [59] WEGNER, G., Eigenschaften der Nerven Homologische — einfacher Familien im \mathbb{R}^n , Ph.D. Thesis, (Göttingen, 1967).
- [60] WOJCIECHOWSKI J., A new lower bound for snake-in-the-box codes, *Combinatorica* (1) **9** (1989), 91–99.