

**A GENERAL THEORY OF IMAGE
SEGMENTATION: LEVEL SET SEGMENTATION
IN THE FUZZY CONNECTEDNESS FRAMEWORK**

K.C. Ciesielski and J.K. Udupa

**Medical Image Processing Group
Department of Radiology
University of Pennsylvania**

TECHNICAL REPORT NO. MIPG335

November, 2006



**Department of
RADIOLOGY
University of Pennsylvania**

A general theory of image segmentation: level set segmentation in the fuzzy connectedness framework

Krzysztof Chris Ciesielski^{a,b,*} and Jayaram K. Udupa^{b,†}

^aDepartment of Mathematics, West Virginia University,
Morgantown, WV 26506-6310

^bDepartment of Radiology, MIPG, University of Pennsylvania, Blockley Hall – 4th Floor,
423 Guardian Drive, Philadelphia, PA 19104-6021

Abstract

In the current vast image segmentation literature, there is a serious lack of methods that would allow theoretical comparison of the algorithms introduced by using different mathematical methodologies. The main goal of this article is to introduce a general theoretical framework for image segmentation that would allow such comparison. The framework is based on the formal definitions designed to answer the following fundamental questions: What is the relation between an idealized image and its digital representation? What properties a segmentation algorithm satisfy have to be acknowledged as acceptable? What does it mean that a digital image segmentation algorithm truly approximates an idealized segmentation model?

We use the formulated framework to analyze the front propagation (FP) level set algorithm of Malladi, Sethian, and Vemuri and compare it with the fuzzy connectedness family of algorithms. In particular, we show that the FP algorithm is model-equivalent with the absolute fuzzy connectedness algorithm used with gradient based affinity. Experimental evidence of this equivalence is also provided.

*MIPG Technical Report #335; partially supported by NSF grant DMS-0623906.
E-mail: KCies@math.wvu.edu; web page: <http://www.math.wvu.edu/~kcies>.

†Partially supported by DHHS grant NS 37172.

The presented theoretical framework can be used to analyze an arbitrary segmentation algorithm and this line of investigation is a subject of our forthcoming work.

Contents

1	Introduction	2
2	The general image segmentation theory	5
2.1	Stage set up: What is an image?	6
2.2	The segmentation algorithms	8
2.3	Segmentation models and related algorithms	12
3	Gradient Based Edge-Threshold Segmentation Model \mathcal{M}_∇	14
3.1	First algorithm representing model \mathcal{M}_∇ : gradient based absolute fuzzy connectedness algorithm \mathcal{A}_∇	16
3.2	Second algorithm representing model \mathcal{M}_∇ : Malladi-Sethian-Vemuri level set algorithm \mathcal{A}_{LS}	26
4	Experiments, discussion, and conclusions	30

1 Introduction

Image segmentation — the process of partitioning the image domain into meaningful object regions — is perhaps the most challenging and critical problem in image processing and analysis. Its central position in image processing comes from the fact that the delineation of objects is usually the first step in other higher level processing tasks, like image interpretation, diagnosis, analysis, visualization, and virtual object manipulation. Image segmentation may be thought of as consisting of two related processes: recognition and delineation. Recognition is the high-level process of determining roughly the whereabouts of an object of interest in the image. Delineation is the low-level process of determining the precise spatial extent and point-by-point composition (material membership percentage) of the object in the image. The topic of this paper concerns image delineation.

General segmentation frameworks may be broadly classified into three groups: boundary-based [6, 10, 11, 13, 15, 16, 19, 18, 20], region-based [2, 3,

25, 29, 30, 31, 32], and hybrid [5, 14]. As the nomenclature indicates, in the first two groups the focus is on recognizing and delineating the boundary or the region occupied by the object in the image. In the third group, the focus is on exploiting the complementary strengths of each of boundary-based and region-based strategies to overcome their individual shortcomings.

The general theoretical framework for image segmentation proposed in Section 2 can be applied to all of the methods in the literature. We applied it here (in Section 3) to the analysis of one particular model described within the fuzzy connectedness methodology [32] and to the comparison of its associated algorithm with the level set delineation algorithm from [6]. An attempt of expressing this level set delineation algorithm without PDE can be also found in [27, 28].

The rationale for the initiation of a general theoretical study of image segmentation methodologies is to address several serious gaps that currently exist in our knowledge in this subject, denoted (G1)–(G3) in the following: (G1) Are all different families of segmentation methods/models (e.g. functional optimization, usually implemented via level set [16, 20, 24, 25], graph-cut [3], active contour [15], live wire [13], active shape [10], active appearance [11], fuzzy connectedness [8, 9, 23, 30, 32], and watershed [26]) really fundamentally independent or are there similarities, or even theoretical equivalences, among them? Although there are some rare attempts here and there to compare the methods at a theoretical level, this is largely an open question. (G2) Segmentation research has two clearly distinct components: the practical, focused on describing efficient segmentation algorithms that can be practically implemented; and theoretical, concerning development and use of sophisticated tools of infinite (i.e., not discrete) mathematics for the purpose of describing segmentation models of idealized images. One of the peculiarities of the current state of segmentation research is that these two tracks are not connected in any formal way. True, the papers that start with a description of a segmentation model of idealized images usually transcribe such a model into a digital image segmentation procedure. However, all of these translations are done only at the intuitive level, without a formal, mathematical argument. In fact, there is even no evidence of the use of any definition formally connecting idealized images (infinite objects) with their digital representations (which are finite). (G3) Another element clearly missing from current segmentation research is a set of certain properties that any digital segmentation algorithm must or should have. For example, it seems that an output of any reasonable segmentation algorithm should be

reasonably stable if it is fed with the digital approximations of the same idealized image with better and better resolution. It would be also good, if the segmentation output remained reasonably unchanged when applied to the same resolution digital representations of the same idealized image that was rotated and/or shifted. (This latter aspect becomes important when we keep in mind that, in many areas such as medical imaging, there is no guarantee that the same object with subtle and fine features will be digitized in the same manner in repeated scans/digitalizations.) So far, there is very little research done along these lines, especially for the algorithms that were not motivated by the idealized image segmentation models. Our approach to fill the above-mentioned gaps (G1)-(G3) is via development of the general theory proposed in Section 2.

In the FC framework [32], a fuzzy topological construct, called fuzzy connectedness, characterizes how the spatial elements (abbreviated as *spels*) of an image hang together to form an object. This construct is arrived at roughly as follows. A function called *affinity* is defined on the image domain; the strength of affinity between any two spels depends on how close the spels are spatially and how similar their intensity-based properties are in the image. Affinity is intended to be a local relation. A global fuzzy relation called *fuzzy connectedness* is induced on the image domain by affinity as follows. For any two spels c and d in the image domain, all possible paths connecting c and d are considered. Each path is assigned a strength of fuzzy connectedness which is simply the minimum of the affinities of consecutive spels along the path. The level of fuzzy connectedness between c and d is considered to be the maximum of the strengths of all paths between c and d . For segmentation purposes, FC is utilized in several ways as described below. See [30] for a review of the different FC definitions and how they are employed in segmentation and applications.

In *absolute FC* (abbreviated AFC) [32], the support of a segmented object is considered to be the maximal set of spels, containing one or more seed spels, within which the level of FC is at or above a specific threshold. To obviate the need for a threshold, *relative FC* (or RFC) [23] was developed by letting all objects in the image to compete simultaneously via FC to claim membership of spels in their sets. To avoid treating the core aspects of an object (that are very strongly connected to its seeds) and the peripheral subtle aspects (that may be less strongly connected to the seeds) in the same footing, an iterative refinement strategy is devised in *iterative RFC* (or IRFC) [8, 31]. The FC family of methods developed to date consists of

various combinations of absolute, relative, and iterative FC. In this paper we will study (in Section 3.1) only the AFC algorithm considered with a gradient based affinity. Note, that gradient based affinity is a generalized affinity notion, in a format introduced and examined in [9]. The other forms of FC algorithms will be examined within the general framework from Section 2 in our future work.

The level set method refers to the specific model of evolving front (surface or curve) in a time dependent manner and to the numerical algorithm tracking such front propagation. The model and the associated narrow band propagation algorithm were introduced in 1985 by Sethian [24] and made its way to image segmentation research in 1995 with paper [16]. The popularity of the level set method in segmentation tasks led to a multitude of research papers, as exemplified by the books [21, 22, 25]. Although the level set method in image segmentation is nowadays more often used indirectly to solve the PDE optimizing the segmentation cost functions (see e.g., [7, 17, 33]), the original segmentation algorithms are still studied [27, 28]. Therefore, for the purpose of using the theoretical framework for comparing methods, we have chosen FC, because of our familiarity with it, and the level set with front propagation because of its popularity.

2 The general image segmentation theory

Despite the enormous volume of image segmentation research, so far there is no formal, general, and coherent theoretical framework of a segmentation theory that would allow a theoretical comparison of digital image segmentation algorithms independently of the mathematical framework in which they were introduced. In this section, we describe a theoretical structure designed for facilitating such comparisons. Moreover, the framework will help us to identify the basic properties that any reasonable segmentation algorithm should satisfy.

In the remainder of the paper, we will examine these properties for several specific segmentation models and discuss the associated segmentation algorithms.

2.1 Stage set up: What is an image?

In this subsection, we will formalize the notions of an “idealized image” and the “physical image” associated with it. This formalization is rather standard in imaging literature. However, most of the imaging papers concentrate only on one of these two kinds of images, leaving unanswered or hazy the fundamental question on the relation between them. One of the most important goals of this paper is to clearly describe such relation in a general setting and to apply it to each of the segmentation models we consider.

There are many different kinds of physical phenomena that lead to images. These include: biological visual (human or animal) perception leading to internal imagery, different analogue pictures (like those obtained by standard analog cameras or x-ray films), and digital images (including digital camera pictures, synthesized computer images, and computed images created from image acquisition devices like ultrasound, CT, PET, and MRI machines). Every such image can be identified with an intensity function, say f , associating to each sensor c from some finite set C of sensors the image intensity value $f(c)$ at c . Note that set C is finite even in the case of chemical sensors used by analog images, although in this case their number is large. We often ignore the physical dimensions of the sensors once the image is formed, but keep track of their relative position. This allows us to treat a set C as a subset of the Euclidean space \mathbb{R}^n of appropriate dimension. Note that we do not restrict our attention to the two-dimensional images, since we are particularly interested in medical imaging, where three-dimensional images have become the dominating object of interest lately.

Concerning the intensity value $f(c)$, it does not need to be expressible as a single number; however, it can always be treated as a vector in \mathbb{R}^ℓ . For example, $f(c)$ can be a vector of the intensities of different color components recorded at c . This leads us to the following definition of a “physical” image, to which we refer as a *digital image*, where $n, \ell \geq 1$ are arbitrary natural numbers. We will always assume that $n \geq 2$, although we will allow it to be larger than 3, as a time sequence of three-dimensional images, for example, can be interpreted as a four-dimensional image.

Definition 1 An (*n-dimensional*) *digital image* is any function f from a finite subset C of \mathbb{R}^n into \mathbb{R}^ℓ .

In this definition, we slightly depart from the standard assumption that the coordinates of C are the integer numbers, that is, that $C \subset \mathbb{Z}^n$. This will

help us to lay our theory, while it creates no real implementation difficulty, especially in the most important case when C is a subset of a rectangular grid $\{hk: k \in \mathbb{Z}\}^n$, where $h > 0$ is a fixed number.

Although Definition 1 captures practical, computer driven, aspects of image representation, it misses the fact that essentially all images we are interested in (with the exception of synthesized computer images) are representations of some “true” images of some real objects. A digital image of a real object is simply an approximation of the “true” image, and (in the ideal setting) it generally improves with an improvement of image acquisition resolution, that is, with increasing number of sensors in C . So, what is the “true” image of the real object? The simplest and the most common way to represent this idealized notion is to treat it as an intensity function F defined on some infinite subset (usually open bounded region) Ω of \mathbb{R}^n and with the values in \mathbb{R}^ℓ . Here Ω is the geometrical (distance preserving) representation of the depicted object, independent of any attributed intensity. We will refer to such a “true” image as an *idealized image*.

Definition 2 An (*n-dimensional*) *idealized image* is any function F from a bounded connected subset Ω of the n -dimensional Euclidean space \mathbb{R}^n into \mathbb{R}^ℓ . In what follows, we will always assume that Ω is an open subset of \mathbb{R}^n , and often it will be just an n -dimensional cube $\Omega = (a, b)^n$.

Notice that, in general, we do not assume any nice properties for function F . However, we will find that for the algorithms to have desired properties, it will be often necessary to assume that F is continuous or that it has continuous derivatives.

The relation between these two types of images can be expressed as follows.

Definition 3 A digital image $f: C \rightarrow \mathbb{R}^\ell$ is a *digitalization of an idealized image* $F: \Omega \rightarrow \mathbb{R}^\ell$ provided f is the restriction $F \upharpoonright C$ of F to C , that is, $C \subset \Omega$ and $f(c) = F(c)$ for every $c \in C$.

In what follows, symbol $\|x\|$ will stand for the Euclidean norm of $x = \langle x_1, \dots, x_n \rangle \in \mathbb{R}^n$, that is, $\|x\| = \sqrt{x_1^2 + \dots + x_n^2}$.

Remark 4 Possibly the digitalization $f: C \rightarrow \mathbb{R}^\ell$ of a true image F should be defined more generally by defining $f(c)$ as some appropriate average of F

around c , e.g., $f(c) = \frac{\int_{\mathbb{R}^n} F(x) \cdot K(x-c)}{\int_{\mathbb{R}^n} K(x)}$ for some kernel K . One might use as K a Gaussian function $g(x) = \exp(-\|x\|^2/\sigma^2)$ with a constant σ associated with the resolution of the digital image. (The idea here is that K corresponds roughly to the point spread function of the imaging device.) Definition 3, which we will use in this paper, falls under this schema when K is the Dirac delta.

Remark 5 In all practical digital image acquisitions, some image distortion due to artifacts such as noise, must be expected. Because of this fact of life, it is quite common in the imaging literature to assume that the acquired image intensity is in a form $f + n$, where f is the “clear” digital image like in Remark 4 and n is the noise component. Although this approach is very desirable from the practical application point of view, in what follows, we will ignore noise in our considerations. The rationale for this is that the main goal of this paper is to analyze the segmentation algorithms from the theoretical point of view and the most fundamental situation in which they should work is the noiseless environment. In other words, including the image noise analysis in what follows would only obscure the clarity of the presented material. (Noise will be considered in our future extension of this work.) In particular, the most commonly occurring non-random components of the image artifacts, viz., blur and background intensity inhomogeneity (a slow-varying image intensity component that modulates the observed image intensity), can be modeled as $f(c) = \frac{\int_{\mathbb{R}^n} \beta(x)[F(x) \cdot K(x-c)]}{\int_{\mathbb{R}^n} K(x)} + \gamma(x)$, where β and γ model the background variation component in a general manner. (In MR imaging, for example, it is known that this component is multiplicative so that $\gamma(x) = 0$.)

2.2 The segmentation algorithms

The following definition treats a delineation algorithm as a “black box:” Given an input (a digital image map and the parameters, which may include also some prior knowledge on the segmented object), the only outcome that is considered is the actual output of the algorithm which is a segmented image. Thus, this definition is general enough to encompass essentially all possible delineation algorithms. In particular, this definition includes the fuzzy connectedness, FC, segmentation algorithms [32] (see Section 3.1) as well as level set Malladi-Sethian-Vemuri algorithm [16] (see Section 3.2). Also, we do not restrict the algorithms, as we define them, to any particular application domain, as it is not important for our considerations. Nevertheless, for

practical purposes any algorithm is always considered only for some specific application. Thus, the same (general) algorithm may be “good” in one application domain, while it may give unacceptable results in another domain. This discrepancy, however, will have no effect on the theory presented below.

Definition 6 A (*digital*) *delineation algorithm* \mathcal{A} is any effectively defined mapping $\langle f, \vec{\theta} \rangle \mapsto S$ which to any digital image $f: C \rightarrow \mathbb{R}^\ell$ (possibly restricted to some subclass) and a parameter vector $\vec{\theta}$ associates a subset S of C interpreted as a segment of the image f indicated by the parameters. We will write $\mathcal{A}(f, \vec{\theta})$ for the output S of \mathcal{A} applied to $\langle f, \vec{\theta} \rangle$.

The parameters may include a threshold number $\theta \in \mathbb{R}$ and some subsets of \mathbb{R}^n (like a simple closed curve, as in the case of some level set algorithms) approximating respective subsets of the domain C of f which carry information on the objects we seek. Often, a seed point $s \in C$ is used as a parameter which indicates the segment S , that is, with the goal that $s \in S$. Some algorithms use also another seed point $t \in C$ indicating the background, that is, with the goal that $t \notin S$. We will often treat the parameter set as a pair $\langle \theta, \vec{p} \rangle$ of parameter sequences (i.e., replacing $\mathcal{A}(f, \vec{\theta})$ with $\mathcal{A}(f, \theta, \vec{p})$), as this is often more suitable for our theory.

We will often refer to a delineation algorithm as a *segmentation algorithm*. The segmentation algorithm, in general, can return as an output any finite partition of C , while a delineation algorithm returns only one set $S \subset C$, which can be identified with a two-element partition $\{S, C \setminus S\}$. The theory presented below is considerably more easily expressed for the delineation algorithms, while with some effort it can be applied also to any general segmentation procedure. (Any segmentation algorithm \mathcal{A} that returns a k -element segmentation $\mathcal{A}(f, \vec{\theta}) = \{\mathcal{A}_1(f, \vec{\theta}), \dots, \mathcal{A}_k(f, \vec{\theta})\}$ can be treated as k separate segmentation algorithms $\mathcal{A}_1, \dots, \mathcal{A}_k$.)

Next, we will formalize what we believe to be the most fundamental property that any reasonable delineation algorithm should possess: *The better the resolution of the digital approximation of the idealized image, the closer the algorithms output is to the “real object” in the idealized image.* To express this intuition formally, we will use the following definitions.

For a subset A of an underlying space X , a *characteristic (or indicator) function* χ_A of A is defined as $\chi_A(x) = 1$ for $x \in A$ and $\chi_A(x) = 0$ for $x \in X \setminus A$. Recall that for a sequence $\langle A_i \rangle_{i=1}^\infty$ of subsets of X we define $\limsup_i A_i = \bigcap_{j=1}^\infty \bigcup_{i \geq j} A_i$. Note that $A = \limsup_i A_i$ holds precisely when

$\chi_A = \limsup_i \chi_{A_i}$. Similarly, we define $\liminf_i A_i = \bigcup_{j=1}^{\infty} \bigcap_{i \geq j} A_i$ and we have $A = \liminf_i A_i$ precisely when $\chi_A = \liminf_i \chi_{A_i}$. The limit $\lim_i A_i$ exists and is equal to $\limsup_i A_i$ provided $\limsup_i A_i = \liminf_i A_i$.

For $h > 0$, let $(h\mathbb{Z})^n = \{hk : k \in \mathbb{Z}\}^n$ be the rectangular grid of points in \mathbb{R}^n with the basic distance h . The most natural (and commonly used) discretization of an idealized image $F: \Omega \rightarrow \mathbb{R}^\ell$ is of the form $f_h = F \upharpoonright \Omega_h$, where $\Omega_h = \Omega \cap (h\mathbb{Z})^n$. For $i = 0, 1, 2, \dots$ let $C_i = \Omega_{h/2^i}$. Thus, we are doubling the resolution when passing from C_i to C_{i+1} . In this notation, our intuitive definition requires that any “good” delineation algorithm should have the property that the sequence $A_i = \mathcal{A}(F \upharpoonright C_i, \vec{\theta})$ converges to some single set $A \subset \Omega$. Moreover, if the algorithm approximates an idealized segmentation model \mathcal{M} which associates with F and $\vec{\theta}$ an object $\mathcal{M}(F, \vec{\theta}) \subset \Omega$, then A should reasonably approximate $\mathcal{M}(F, \vec{\theta})$.

The best and the most natural way to express the above intuition in a formal way seems to be to require that the limit $L = \lim_i \mathcal{A}(F \upharpoonright C_i, \vec{\theta})$, as defined above, exists and, if the idealized model \mathcal{M} is provided, the limit is a dense subset of $\mathcal{M}(F, \vec{\theta})$ (i.e., the topological closure $\text{cl}(L)$ of L contains $\mathcal{M}(F, \vec{\theta})$). Unfortunately, even for some of the most natural algorithms (see comment preceding Example 19), the limit $\lim_i \mathcal{A}(F \upharpoonright C_i, \vec{\theta})$ may not exist. Nevertheless, $\limsup_i \mathcal{A}(F \upharpoonright C_i, \vec{\theta})$ can still reasonably approximate a set $\mathcal{M}(F, \vec{\theta})$ if we choose an appropriate notion of approximation. A related way to solve this difficulty (and the one which we favor in this paper) is to change the notion of the limit so that the result of the new limiting process applied to the sequence $\mathcal{A}(F \upharpoonright C_i, \vec{\theta})$ exists and is dense in $\mathcal{M}(F, \vec{\theta})$. In general, we will denote such a limit as $\lim_{i, \vec{\theta}}^* \mathcal{A}(F \upharpoonright C_i, \vec{\theta})$, where calculation of \lim^* may require calculation of several limits in a hierarchical manner, as in the example below. The limit notion that we will use for this purpose in Subsection 3.1 is defined for the families of sets $\{A_i(\theta) : \theta \in \mathbb{R} \ \& \ i = 1, 2, 3, \dots\}$ by a formula

$$\lim_{i, \theta}^* A_i(\theta) \stackrel{\text{def}}{=} \lim_{\eta \rightarrow 0^+} \left(\limsup_{i \rightarrow \infty} A_i(\theta - \eta) \right) = \lim_{\eta \rightarrow 0^+} \left(\bigcap_{j=1}^{\infty} \bigcup_{i \geq j} A_i(\theta - \eta) \right), \quad (1)$$

where $B = \lim_{\eta \rightarrow 0^+} B(\theta)$ if and only if $\chi_B = \lim_{\eta \rightarrow 0^+} \chi_{B(\theta)}$. However, in Subsection 3.2 we will use a similar, but slightly different limit notion, since the LS algorithm considered there uses an extra parameter $\varepsilon > 0$. In general, different algorithms may require different limiting processes to be considered.

The limit notion from (1) will be applied to the segmentation algorithms as follows. We will assume that the algorithm uses one real parameter θ and some other parameters \vec{p} . Thus, the output of the algorithm can be expressed as $\mathcal{A}(f, \theta, \vec{p})$. Then, for a fixed parameter \vec{p} and fixed sequence $\langle F \upharpoonright C_i \rangle_i$ of the digital approximations of an idealized image $F: \Omega \rightarrow \mathbb{R}^\ell$, we will define $A_i(\theta) = \mathcal{A}(F \upharpoonright C_i, \theta, \vec{p})$ and require that the limit $\lim_{i, \theta}^* A_i(\theta)$ exists and is dense in $\mathcal{M}(F, \vec{\theta})$. For the algorithms which we consider in this paper, these sets $A_i(\theta)$ will satisfy the assumptions of the following fact.

Proposition 7 *Let $\{A_i(\theta): \theta \in \mathbb{R} \ \& \ i = 1, 2, 3, \dots\}$ be a family of sets such that $A_i(\theta') \subseteq A_i(\theta)$ for every i and $\theta' < \theta$. Then $\lim_{i, \theta}^* A_i(\theta)$ exists and equals $\bigcup_{\eta > 0} \left(\bigcap_{j=1}^{\infty} \bigcup_{i \geq j} A_i(\theta - \eta) \right)$.*

PROOF. Let $B(\theta) = \bigcap_{j=1}^{\infty} \bigcup_{i \geq j} A_i(\theta - \eta)$. Then, $B(\theta') \subseteq B(\theta)$ for every $\theta' < \theta$. So, the limit $\lim_{\eta \rightarrow 0^+} B(\theta - \eta)$ exists and is equal $\bigcup_{\eta > 0} B(\theta - \eta)$. ■

Now, we are ready for our fundamental definitions.

Definition 8 A segmentation algorithm $\mathcal{A}(f, \vec{\theta}, \vec{p})$ is *weakly acceptable* for an idealized image $F: \Omega \rightarrow \mathbb{R}^\ell$ (considered with parameters \vec{p} and with respect to the limit notion \lim^*) provided $\lim_{i, \vec{\theta}}^* \mathcal{A}(F \upharpoonright \Omega_{h/2^i}, \vec{\theta}, \vec{p})$ exists for every $h > 0$.

In particular, for the limit defined by formula (1), we say that a segmentation algorithm $\mathcal{A}(f, \theta, \vec{p})$ is *weakly acceptable* for an idealized image $F: \Omega \rightarrow \mathbb{R}^\ell$ provided $\lim_{i, \theta}^* \mathcal{A}(F \upharpoonright \Omega_{h/2^i}, \theta, \vec{p})$ exists for every $h > 0$ and for every parameter \vec{p} for which enough among the sets $\mathcal{A}(F \upharpoonright \Omega_{h/2^i}, \theta, \vec{p})$ are defined to make the limit sensible.

Of course, we would prefer convergence to hold for a wider variety of sequences $\langle C_i: i \in \mathbb{N} \rangle$ approximating Ω , where $\mathbb{N} = \{1, 2, 3, \dots\}$ is the set of natural numbers. The next definition makes this idea more precise.

Definition 9 For a non-empty subset C of a bounded set $\Omega \subset \mathbb{R}^n$ define an Ω -resolution number of C as $r_\Omega(C) = \inf\{\varepsilon > 0: \Omega \subset \bigcup_{c \in C} B(c, \varepsilon)\}$, where $B(c, \varepsilon) = \{x \in \mathbb{R}^n: \|x - c\| < \varepsilon\}$ is an open ball in \mathbb{R}^n centered at c and with radius ε .

A segmentation algorithm \mathcal{A} is *acceptable* for an image $F: \Omega \rightarrow \mathbb{R}^\ell$ (considered with parameters \vec{p} and with respect to the limit notion \lim^*) provided the limit $\lim_{i, \vec{\theta}}^* \mathcal{A}(F \upharpoonright \Omega_{h/2^i}, \vec{\theta}, \vec{p})$ exists for every increasing sequence $\langle C_i: i \in \mathbb{N} \rangle$ of finite subsets of Ω for which $\lim_i r_\Omega(C_i) = 0$.

Although this last definition is satisfied by many segmentation algorithms and is more desirable than just weak acceptability, the proofs of the acceptability property are more technically involved. Since a vast majority of practical algorithms are concerned only with scenes of the form Ω_h , we will often start the analysis by considering the property of weak acceptability.

2.3 Segmentation models and related algorithms

Now, we will define the notion of a segmentation model for an idealized image. (We will use here terms “segmentation” and “delineation” interchangeably despite the fact that only the term “delineation” is formally correct.)

Definition 10 A *segmentation model* \mathcal{M} for a class \mathcal{F} of idealized images is any mapping $\langle F, \vec{p} \rangle \xrightarrow{\mathcal{M}} O$ which for any image $F: \Omega \rightarrow \mathbb{R}^\ell$ from \mathcal{F} and any parameters \vec{p} associates a subset O of Ω interpreted as a segment of the image F indicated by the parameters. We will write $\mathcal{M}(F, \vec{p})$ for the output O of \mathcal{M} applied to $\langle F, \vec{p} \rangle$.

Notice that in this definition there is no assumption of the effectiveness of finding the segment $\mathcal{M}(F, \vec{p})$ despite the fact that this might be considered as a departure from a terminology used in many mathematical modeling papers. To justify our choice of this terminology, we note that the modeling papers (including segmentation modeling) frequently start with a non-effectively defined map \mathcal{M} , often as an optimizer (minimizer or maximizer) of some functional, and then proceed to find an effectively defined procedure $\hat{\mathcal{M}}$, often via a solution of a differential equation and/or using variational methods, which as a function is equal to \mathcal{M} . We will refer to such $\hat{\mathcal{M}}$ as a *solution to a model* \mathcal{M} . (In the literature, it is often the procedure $\hat{\mathcal{M}}$ itself that is designated as the “model.”) Since, treated as functions, $\mathcal{M} = \hat{\mathcal{M}}$, our definition can be applied to $\hat{\mathcal{M}}$ as well as to \mathcal{M} . If one plans to use the effective version $\hat{\mathcal{M}}$ of the model to find an algorithm \mathcal{A} that approximates $\mathcal{M} = \hat{\mathcal{M}}$, then $\hat{\mathcal{M}}$ is at the center of the investigation and it makes sense to designate $\hat{\mathcal{M}}$ as “the model” of the process. We think of this modeling schema as a two stage process: $\mathcal{M} \longrightarrow \hat{\mathcal{M}} \longrightarrow \mathcal{A}$. In a large class of delineation methods (including the model discussed in Section 3.2, as well as many optimization models), the value of $\hat{\mathcal{M}}$ is found via time dependent front propagation, usually approximated numerically with fast marching level set algorithms. (See

e.g. [21, 22].) In many modeling tasks, like modeling of the wave propagation or flame burning, the time sequence of the consecutive approximations is at least as important as the final position of the front, making the front propagation approach the most desirable. However, in segmentation tasks, we are usually not interested in the intermediate stages of object approximation, and we treat the final position of the front as the only output of the model and the algorithm. Thus, in the investigation of the essential aspects of a delineation task, it is more productive to follow directly from \mathcal{M} to \mathcal{A} , that is, forgoing the effective version $\hat{\mathcal{M}}$ of the model and follow the schema $\mathcal{M} \rightarrow \mathcal{A}$. This is the central idea behind our investigation presented in Section 3.

The following definition is probably the most fundamental definition in this paper. It formally relates the segmentation model of an idealized image with the associated segmentation algorithm.

Definition 11 A segmentation algorithm \mathcal{A} represents (weakly represents) a segmentation model \mathcal{M} for a class \mathcal{F} of idealized images (and with respect to the limit notion \lim^*) provided, for every $F \in \mathcal{F}$ and parameter \vec{p} appropriate for F , algorithm \mathcal{A} is acceptable (weakly acceptable, respectively) and for every sequence $\mathcal{C} = \langle C_i : i \in \mathbb{N} \rangle$ from the definition of (weak) acceptability the limit $\lim_{i, \vec{p}}^* \mathcal{A}(F \upharpoonright C_i, \vec{\theta}, \vec{p})$ is a dense subset of $\mathcal{M}(F, \vec{\theta}, \vec{p})$.

Notice that for any sequence $\mathcal{C} = \langle C_i : i \in \mathbb{N} \rangle$, we consider in the above definition the set $C = \bigcup_i C_i$ is dense in Ω . Since $D = \lim_{i, \vec{p}}^* \mathcal{A}(F \upharpoonright C_i, \vec{\theta}, \vec{p})$ is a subset of C , for D to be dense in $\mathcal{M}(F, \vec{\theta}, \vec{p})$, it is necessary that $C \cap \mathcal{M}(F, \vec{\theta}, \vec{p})$ is dense in $\mathcal{M}(F, \vec{\theta}, \vec{p})$. The easiest way to insure this is to guarantee that $\mathcal{M}(F, \vec{\theta}, \vec{p})$ is open in Ω . Thus, in what follows we will consider only the models which will ensure this property. (More generally, the same effect is achieved if we guarantee that $\mathcal{M}(F, \vec{\theta}, \vec{p})$ is contained in the closure of its interior, that is, when $\mathcal{M}(F, \vec{\theta}, \vec{p}) \subset \text{cl}_\Omega(\text{int}_\Omega(\mathcal{M}(F, \vec{\theta}, \vec{p})))$.) Then, the above definition is satisfied precisely when D is a dense subset of $C \cap \mathcal{M}(F, \vec{\theta}, \vec{p})$. In most of the cases of good models and their associated algorithms, it can be shown that these two sets are equal.

The above definition leads us also to a way of comparing segmentation algorithms on a theoretical level.

Definition 12 The segmentation algorithms \mathcal{A} and \mathcal{A}' are *model-equivalent* (*weakly model-equivalent*, respectively) in a class \mathcal{F} of idealized images (and

with respect to the limit notion \lim^*) provided there exists a segmentation model \mathcal{M} for \mathcal{F} such that both \mathcal{A} and \mathcal{A}' represent (weakly represent, respectively) \mathcal{M} .

It should be stressed here that the model-equivalent algorithms behave identically only in the limit at the infinitely best resolution. So, their outputs may still be slightly different for given digital images. This may be contrasted with strongly-equivalent algorithms (defined and studied in [9]), which have identical outputs. Note also that equivalent algorithms (in the sense of any of these definitions) may still have very different computation times and/or memory requirements. Thus, equivalent algorithms should still be compared at some more subtle level: by analyzing their computational requirements, by estimating computational errors, and by running comparative simulations. Nevertheless, the equivalence of two segmentation algorithms is a strong theoretical evidence that they perform quite similarly.

3 Gradient Based Edge-Threshold Segmentation Model \mathcal{M}_∇

In this section, we will show that the front propagation level set algorithm of Malladi, Sethian, and Vemuri from [16] is model-equivalent to the absolute fuzzy connectedness algorithm of Udupa and Samarasekera [32] used with a gradient based affinity. We will start with the description of an idealized segmentation model \mathcal{M}_∇ represented by each of these algorithms. The description of the algorithms and the proofs that they indeed represent \mathcal{M}_∇ is presented in the following subsections.

In the model \mathcal{M}_∇ , the edge (i.e., boundary) of the object $P \subset \Omega$ of interest is identified as the set of points x at which the image intensity, given by F , changes rapidly. Mathematically, this means that at the edge points the gradient magnitude $|\nabla F(x)|$ of F is large. Of course, this has a meaning only when the function $|\nabla F(x)|$ is well defined, that is, when F is differentiable. (A possible meaning of $|\nabla F|$ for non-differentiable F , and its implication to the presented discussion, is outlined in Section 4.) Thus, for this model, we will assume that F is of the class \mathcal{C}^1 , that is, that F has continuous first order partial derivatives. Also, “large gradient” will be interpreted here “as greater than or equal to some threshold number θ .” Thus, the object of interest will be a connected component of the set $\Omega(\theta) = \{x \in \Omega: |\nabla F(x)| < \theta\}$.

The component will be indicated by some connected set $S \subset \Omega(\theta)$ of seeds, usually a single point or a simple closed curve. This component is the result of applying the model \mathcal{M}_∇ to F and parameters $\langle \theta, S \rangle$, that is, it is equal to $\mathcal{M}_\nabla(F, \theta, S)$. Note that the continuity of the gradient implies that this set is open. We will usually denote $\mathcal{M}_\nabla(F, \theta, S)$ as $P_{S\theta}^F$ or just $P_{S\theta}$ when F is clear from the context.

Next, we describe a characterization of $P_{S\theta}$ that can be naturally translated into a numerical algorithm of its approximation. For this, we need the following definitions. A *path* p in Ω is any continuous injection from an interval $[a, b]$ into Ω . We say that a path p is from $S \subseteq \Omega$ to $x \in \Omega$ provided $p(a) \in S$ and $p(b) = x$. In this model, a strength¹ $\mu(p)$ of a path $p: [a, b] \rightarrow \Omega$, which depends on F , is defined as

$$\mu(p) = \sup_{t \in [a, b]} |\nabla F(p(t))|.$$

Notice that the compactness of $[a, b]$ and the continuity of $\nabla F(x)$ implies that $\mu(p) = |\nabla F(p(t_0))|$ for some $t_0 \in [a, b]$.

Theorem 13 *For every \mathcal{C}^1 image $F: \Omega \rightarrow \mathbb{R}^\ell$, $\theta \in \mathbb{R}$, and a connected set $S \subset \Omega(\theta)$, the object $P_{S\theta}$ is equal to the set of all $x \in \Omega$ for which there exists a path p from S to x with $\mu(p) < \theta$.*

PROOF. Let $x \in P_{S\theta}$. To find an appropriate path, notice that $P_{S\theta}$ is path connected, since it is a connected open subset of \mathbb{R}^n . Thus, for every $s \in S$ there exists a path $p: [0, 1] \rightarrow P_{S\theta}$ from s to x . So, for every $t_0 \in [0, 1]$ we have $|\nabla F(p(t_0))| < \theta$, since $p(t_0) \in P_{S\theta} \subseteq \Omega(\theta)$. In particular, $\mu(p) < \theta$.

Conversely, let $p: [a, b] \rightarrow \Omega$ be a path from S to x with $\mu(p) < \theta$. We need to show that $x \in P_{S\theta}$. Indeed, the range $\text{range}(p)$ of p (defined as $\text{range}(p) = \{p(t) : t \in [a, b]\}$) is connect (as a continuous image of a connected set) and it intersects S . So, $S \cup \text{range}(p) \subset \Omega(\theta)$ is connected, and it must be a subset of $P_{S\theta}$, since $P_{S\theta}$ is the largest connected subset of $\Omega(\theta)$ containing S . So, $x \in \text{range}(p) \subset P_{S\theta}$. ■

The next, robustness, theorem tells us that the form of the object $P_{S\theta}$ essentially does not depend on the choice of the seed set S .

¹More formally we should use here the term \preceq -strength, where \preceq denotes the reverse standard inequality (i.e., \geq), since the path strength usually denotes its weakest link. However, we will not use the prefix \preceq - in this context, despite the fact that this leads to some language awkwardness. (Compare also (3) and the following comment.)

Theorem 14 For every \mathcal{C}^1 image $F: \Omega \rightarrow \mathbb{R}^\ell$, $\theta \in \mathbb{R}$, and connected sets $S, T \subset \Omega(\theta)$,

$P_{S\theta} = P_{T\theta} \neq \emptyset$ if and only if there is a path p from S to T with $\mu(p) < \theta$.

In particular, if $T \subset P_{S\theta}$, then $P_{S\theta} = P_{T\theta}$.

PROOF. “ \implies ” Let $x \in P_{S\theta} = P_{T\theta}$. Then there are the paths $p_1: [a, b] \rightarrow \Omega$ from S to x and $p_2: [b, c] \rightarrow \Omega$ from x to T with $\mu(p_i) < \theta$ for $i = 1, 2$. Then $p = p_1 \cup p_2$ is as desired.

“ \impliedby ” The set $\emptyset \neq S \cup \text{range}(p) \cup T \subset \Omega(\theta)$ is connected, and $P_{S\theta}$ and $P_{T\theta}$ intersect it. So, since each of these sets is a component of $\Omega(\theta)$, we must have $P_{S\theta} = P_{T\theta} \supset S \cup \text{range}(p) \cup T$. ■

3.1 First algorithm representing model \mathcal{M}_∇ : gradient based absolute fuzzy connectedness algorithm \mathcal{A}_∇

We start here by describing a general form of the absolute fuzzy connectedness, AFC, algorithm of [32]. Its scene is identified with the intensity function f from the finite subset C of \mathbb{R}^n into \mathbb{R}^ℓ . The elements of C are referred to as *spels*.

We will think of f as a restriction of some idealized image $F: \Omega \rightarrow \mathbb{R}^\ell$ to a subset C of Ω . In most practical applications, C is a subset of a rectangular grid $(h\mathbb{Z})^n = \{hk: k \in \mathbb{Z}\}^n$ which, in terms of the idealized image, can be defined as $C = \Omega_h = \Omega \cap (h\mathbb{Z})^n$. (In fact, for algorithmic implementation, it is usually assumed that $h = 1$, that is, that $C \subset \mathbb{Z}^n$. This does not change the essence of the algorithm, since $(h\mathbb{Z})^n$ and \mathbb{Z}^n can be naturally identified. Nevertheless, to describe the relation of the algorithm with the model, we need to adhere to the assumption that $C \subset \Omega$.) The special case $C = \Omega_h$ is also easier to handle in the analysis that follows, so we will give it special attention. We should also stress that, in the algorithm that follows, we will never use the fact that f is a restriction of an F . This fact will be used only to help our intuition and to express the convergence theorem. However, we will use Ω as a parameter of the algorithm, unless $C = \Omega_h$, in which case this parameter will be dropped.

Adjacency relation: The domain C of the digital image f , for which $\Omega \supset C$ is fixed, comes with an *adjacency relation* telling us which pairs

$c, d \in C$ of spels are adjacent, that is, close enough to be considered spatially connected to each other. In this paper, we will assume that the adjacency relation is expressed in terms of the Euclidean distance in \mathbb{R}^n as follows: for some constant $\alpha > 0$ the spels c and d are said to be adjacent provided $\|c - d\| \leq \alpha$. We will assume that for every $h \in (0, 1]$

$$\alpha \in (2r_\Omega(C), n^2r_\Omega(C)] \text{ and } \alpha \in [h, n^2r_\Omega(C)] \text{ when } C = \Omega_h. \quad (2)$$

Thus, in general, the choice of α depends on the domain C of f and the set Ω . However, the dependency on Ω can be removed in case when $C = \Omega_h$, since then we can assume that $\alpha = h$ or, more generally, that $\alpha \in [h, n^2h)$. This is important, since the algorithm we will construct depends on f and α . Thus, in the case when $C = \Omega_h$, we can assume that $\alpha = h$ and the algorithm depends only on f . In the general case, however, Ω will be also a parameter of the algorithm.

If $C = \Omega_h$ and $\alpha = h$, then we deal with 4-adjacency for $n = 2$, and with 6-adjacency for $n = 3$. If $C = \Omega_h$ and $\alpha = \sqrt{3}h$, then we deal with 8-adjacency for $n = 2$, and with 26-adjacency for $n = 3$. The idea behind adjacency relation is to capture blurring effect of the ‘‘point spread function’’ of imaging devices; that is, that the neighborhood size α should relate to the width of the point spread function.

A path in a digital scene: The choice of α as in (2) ensures the following important property, where $B[T, \varepsilon] = \{x \in \mathbb{R}^n : \text{dist}(T, x) \leq \varepsilon\}$ is a generalized closed ball in \mathbb{R}^n centered at $T \subset \mathbb{R}^n$ and with radius $\varepsilon > 0$. Recall that a *path* p in C is any sequence $\langle c_1, \dots, c_k \rangle$ of spels in C , where consecutive c_i and c_{i+1} are adjacent; p is from $c \in C$ to $d \in C$ if $c_1 = c$ and $c_k = d$; it is from $S \subset C$ to $T \subset C$ if $c_1 \in S$ and $c_k \in T$.

Lemma 15 *For every path $\hat{p}: [a, b] \rightarrow \Omega$ from $s \in C$ to $d \in C$ and $\varepsilon \geq 2n\alpha$, if $B[\text{range}(\hat{p}), \varepsilon] \subset \Omega$, then there exists a path $p = \langle c_1, \dots, c_k \rangle$ in C from s to d which is contained in $B[\text{range}(\hat{p}), \varepsilon]$.*

PROOF. First, assume that $\alpha \in (2r_\Omega(C), n^2r_\Omega(C)]$. Let $\hat{\varepsilon} > r_\Omega(C)$ be such that $2r_\Omega(C) < 2\hat{\varepsilon} < \alpha$. Then, by the definition of number $r_\Omega(C)$, $\text{range}(\hat{p}) \subset \Omega \subset \bigcup_{c \in C} B(c, \hat{\varepsilon})$. Define $C_0 = \{c \in C : B(c, \hat{\varepsilon}) \cap \text{range}(\hat{p}) \neq \emptyset\}$ and let $\mathcal{B} = \{B(c, \hat{\varepsilon}) : c \in C_0\}$. Then $\bigcup \mathcal{B}$ is connected, since it is a union of connected sets, each intersecting a connected set $\text{range}(\hat{p}) \subset \bigcup \mathcal{B}$. Also

$\bigcup \mathcal{B} \subset B[\text{range}(\hat{p}), \varepsilon]$ since each $B(c, \hat{\varepsilon}) \in \mathcal{B}$ intersects $\text{range}(\hat{p})$ and has diameter $2\hat{\varepsilon} < \alpha \leq \varepsilon$. Let \mathcal{D} be the collection of all balls $B(c, \hat{\varepsilon}) \in \mathcal{B}$ such that there exists a sequence $\langle c_1, \dots, c_k \rangle$ in C_0 from s to c for which $\|c_{i+1} - c_i\| < 2\hat{\varepsilon}$ for every $i = 1, 2, \dots, k - 1$. Notice that $\mathcal{D} = \mathcal{B}$.

Indeed, assume by way of contradiction that $\mathcal{E} = \mathcal{B} \setminus \mathcal{D} \neq \emptyset$. Then the sets $\bigcup \mathcal{D}$ and $\bigcup \mathcal{E}$ are non-empty and open. They cannot be disjoint, since this would constitute a partition of a connected set $\bigcup \mathcal{B}$. So, there are balls $B(c, \hat{\varepsilon}) \in \mathcal{D}$ and $B(\hat{c}, \hat{\varepsilon}) \in \mathcal{E}$ intersecting each other. But this means that $B(\hat{c}, \hat{\varepsilon}) \in \mathcal{D}$, since this is justified by a path $\langle c_1, \dots, c_k, \hat{c} \rangle$, where $\langle c_1, \dots, c_k \rangle$ justifies that $B(c, \hat{\varepsilon}) \in \mathcal{D}$. So, $\mathcal{E} = \emptyset$ and indeed $\mathcal{D} = \mathcal{B}$.

Now, since $B(d, \hat{\varepsilon}) \in \mathcal{B} = \mathcal{D}$, we conclude that there exists a sequence $p = \langle c_1, \dots, c_k \rangle$ in C_0 from s to d with $\|c_{i+1} - c_i\| < 2\hat{\varepsilon} < \alpha$ for every $i = 1, 2, \dots, k - 1$. This is our desired path.

Next assume that $C = \Omega_h = \Omega \cap (h\mathbb{Z})^n$ for some $h > 0$. Put $\hat{\varepsilon} = h$ and let ρ be a max metric on \mathbb{R}^n , that is, $\rho(x, y) = \max_{i=1, \dots, n} |x_i - y_i|$. Let C_0 be the set of all $c \in C$ for which the ρ -open ball $B_\rho(c, \hat{\varepsilon}) = \{x \in \mathbb{R}^n : \rho(c, x) < \hat{\varepsilon}\}$ intersects $\text{range}(\hat{p})$ and let $\hat{\mathcal{B}}$ be the family of all such balls. Notice that $\text{range}(\hat{p}) \subset \bigcup \hat{\mathcal{B}}$ since for every $x \in \mathbb{R}^n$ there exists a $c \in (h\mathbb{Z})^n$ such that $\rho(c, x) < h$ and if $x \in \text{range}(\hat{p})$, then such a c belongs to C , since in such a case $c \in B[\text{range}(\hat{p}), \varepsilon] \cap (h\mathbb{Z})^n \subset \Omega \cap (h\mathbb{Z})^n = C$. So, as above, $\bigcup \hat{\mathcal{B}}$ is connected. Moreover, $\bigcup \hat{\mathcal{B}} \subset B[\text{range}(\hat{p}), \varepsilon]$ since each $B_\rho(c, \hat{\varepsilon}) \in \hat{\mathcal{B}}$ intersects $\text{range}(\hat{p})$ and has diameter $2\sqrt{n}\hat{\varepsilon} < 2n\alpha \leq \varepsilon$. Let $\hat{\mathcal{D}}$ be the collection of all ρ -balls $B_\rho(c, \hat{\varepsilon}) \in \hat{\mathcal{B}}$ such that there exists a sequence $\langle d_1, \dots, d_m \rangle$ in C_0 from s to c such that $\rho(d_{i+1}, d_i) < 2\hat{\varepsilon}$ for every $i = 1, 2, \dots, m - 1$. The argument as above shows that $\hat{\mathcal{D}} = \hat{\mathcal{B}}$.

Now, since $B(d, \hat{\varepsilon}) \in \hat{\mathcal{B}} = \hat{\mathcal{D}}$, there exists a sequence $\langle d_1, \dots, d_m \rangle$ in C_0 from s to d such that $\rho(d_{i+1}, d_i) < 2\hat{\varepsilon}$ for every $i = 1, 2, \dots, m - 1$. Fix an $i = 1, 2, \dots, m - 1$ and note that $\rho(d_{i+1}, d_i) \leq h$. Since the closed ρ -ball $B_\rho[d_i, h] = \{x \in \mathbb{R}^n : \rho(d_i, x) \leq h\}$ is contained in $B[\text{range}(\hat{p}), \varepsilon]$ and it contains d_{i+1} , there exists a path p_i in $B[\text{range}(\hat{p}), \varepsilon] \cap (h\mathbb{Z})^n$ from d_i to d_{i+1} where consecutive spels are of distance $h \leq \alpha$. Then the path p formed as a consecutive sequence of all paths p_1, \dots, p_{m-1} is as desired. ■

Affinity function: Recall that any fuzzy connectedness, FC, algorithm starts with an *affinity function* — a symmetric function κ defined on $C \times C$ for which the value $\kappa(c, d)$ represents a strength of local connectedness of the spels $c, d \in C$. We will use here an approach similar to that from the paper [9]

and consider as an affinity any symmetric function κ from $C \times C$ into any linearly ordered set $\langle L, \preceq \rangle$; however, in general, we will not assume that κ is *reflexive* (which, in [9], is expressed as a property that $\kappa(a, b) \preceq \kappa(c, c)$ for every $a, b, c \in C$). We drop the assumption of reflexivity of κ since only in this setting we can find an FC-type of algorithm representing \mathcal{A}_∇ . Although this change will restrict our ability to cite any prior results concerning the FC theory results, this will be of no consequence to us, since we will not use any such result. In this particular subsection we will assume that $\langle L, \preceq \rangle = \langle [0, \infty], \geq \rangle$. Thus, the strongest connectedness (in the sense of \preceq) will be given by the value 0, and the weakest connectedness by ∞ . Note that in the literature usually only standard affinities are considered, that is, those with the range $\langle L, \preceq \rangle = \langle [0, 1], \leq \rangle$ and such that $\kappa(c, c) = 1$ for every $c \in C$. However, any reflexive affinity κ as above can be translated into a standard affinity by a formula $\kappa_\sigma(c, d) = (g_\sigma \circ \kappa)(c, d) = g_\sigma(\kappa(c, d))$, where $g_\sigma(x) = e^{-x^2/\sigma^2}$ is a Gaussian function for some $\sigma > 0$. In this situation affinities κ and κ_σ are naturally equivalent (lead to strongly equivalent algorithms) in a sense defined precisely in [9].

Digital path strength and AFC object: The affinity function κ represents the main parameter of the FC algorithms and can be defined differently for different applications. In the algorithm \mathcal{A}_∇ , the definition of κ will be based on the gradient approximation of f . In general, any AFC algorithm, including \mathcal{A}_∇ , depends on the definition of κ as follows. The strength of a path $p = \langle c_1, \dots, c_k \rangle$ in C is defined as the \preceq -weakest link in p , that is,

$$\mu(p) = \max_{i=1, \dots, k-1} \kappa(c_i, c_{i+1}). \quad (3)$$

For $\theta \in \mathbb{R}$ and a seed $s \in C$ we define the AFC object as

$$P_{s\theta} = \{c \in C : \text{there is a path } p \text{ in } C \text{ from } s \text{ to } c \text{ with } \mu(p) < \theta\}.$$

In other words, if we denote our algorithm by \mathcal{A}_∇ , then $\mathcal{A}_\nabla(f, \theta, s) = P_{s\theta}$. Our goal is to show that, for appropriately defined κ , this algorithm represents a segmentation model \mathcal{M}_∇ . Note that if $\hat{\mu}(p) = \min_{i=1, \dots, k-1} \kappa_\sigma(c_i, c_{i+1})$ and $\hat{\theta} = g_\sigma(\theta)$, then $P_{s\theta} = \{c \in C : \text{there is a path } p \text{ from } s \text{ to } c \text{ with } \hat{\mu}(p) > \hat{\theta}\}$. This is essentially the usual definition of an AFC object defined with the use of the standard affinity κ_σ , except that we use here the strict inequality $>$ rather than more common \geq . This change is essential for the proof of our convergence theorem.

Gradient based path strength: Our definition of κ will be based on the formula $|\nabla f(c)|$ for the approximation of the magnitude of the gradient of F at c . It will have a property that, under appropriate assumptions on F , the limit $\lim_{r_\Omega(C) \rightarrow 0} |\nabla(F \upharpoonright C)(c)|$ converges uniformly to $|\nabla F(c)|$ in a sense that: for every $\varepsilon > 0$ and compact set $B \subset \Omega$ there is a $\delta > 0$ such that for every finite $C \subset \Omega$ with $r_\Omega(C) < \delta$

$$\| |\nabla F(c)| - |\nabla(F \upharpoonright C)(c)| \| < \varepsilon \text{ for every } c \in C \text{ with } |\nabla(F \upharpoonright C)(c)| \in \mathbb{R} \quad (4)$$

and

$$|\nabla(F \upharpoonright C)(c)| \in \mathbb{R} \text{ for every } c \in B \cap C. \quad (5)$$

It is relatively easy to find such a formula for functions f defined on the sets $C = \Omega_h$. However, the general case is a bit technical, so we will postpone the actual definition of $|\nabla f(c)|$ till the end of this subsection. In the mean time we will assume that $|\nabla f(c)|$ is already defined and that it satisfies (4) and (5). From this, we define gradient based affinity by a formula

$$\kappa(c, d) = \begin{cases} \max\{|\nabla f(c)|, |\nabla f(d)|\} & \text{for adjacent } c \text{ and } d \\ \infty & \text{otherwise.} \end{cases} \quad (6)$$

In particular, for the affinity defined this way, formula (3) for the strength of a path $p = \langle c_1, \dots, c_k \rangle$ reduces to

$$\mu(p) = \max_{i=1, \dots, k} |\nabla f(c_i)|. \quad (7)$$

The following theorem shows that the algorithm \mathcal{A}_∇ indeed represents the segmentation model \mathcal{M}_∇ . Note that the assumption of uniform continuity of $|\nabla F|$ is satisfied if F is a restriction of a \mathcal{C}^1 function defined on the closure $\text{cl}(\Omega)$ of Ω .

Theorem 16 *Let $F: \Omega \rightarrow \mathbb{R}^\ell$ be an idealized \mathcal{C}^1 image, where Ω is a convex bounded open subset of \mathbb{R}^n . Assume that $|\nabla F|$ is uniformly continuous on Ω . Then for every $\theta > \theta' > 0$, finite set $C \subset \Omega$, and $s \in C$, there exists a $\delta > 0$ such that for every finite set $D \subset \Omega$ containing C for which $r_\Omega(D) < \delta$, we have*

$$C \cap P_{s\theta'}^F \subseteq \mathcal{A}_\nabla(F \upharpoonright D, \theta', s) \subseteq P_{s\theta}^F.$$

In particular, if $\langle C_i \subset \Omega: i \in \mathbb{N} \rangle$ is an increasing sequence of finite subsets of Ω with $\lim_i r_\Omega(C_i) = 0$, then $\lim_{i,\theta}^ \mathcal{A}_\nabla(F \upharpoonright C_i, \theta, s) = P_{s\theta}^F \cap \bigcup_i C_i$ for every $s \in C_1$.*

PROOF. Note that it is enough to find separately $\delta' > 0$ and $\delta'' > 0$ for which, respectively, the first and the second inclusions hold, since then the number $\delta = \min\{\delta', \delta''\}$ guarantees both inclusions.

We will begin with the proof of the first inclusion. So, take a $c \in C \cap P_{s\theta'}^F$. We will show that there is a $\delta_c > 0$ such that

$$c \in \mathcal{A}_\nabla(F \upharpoonright D, \theta', s) \text{ for all finite } C \subseteq D \subset \Omega \text{ with } r_\Omega(D) < \delta_c.$$

This will do, since then $\delta' = \min\{\delta_c : c \in C \cap P_{s\theta'}^F\}$ is as desired.

By Theorem 13, there is a path $\hat{p}: [a, b] \rightarrow \Omega$ from s to c with $\mu(\hat{p}) < \theta'$. Then the range $\text{range}(\hat{p})$ of \hat{p} is contained in the set $P_{s\theta'}^F$. Since $\text{range}(\hat{p})$ is a compact subset of an open set $P_{s\theta'}^F$, there exists an $\varepsilon > 0$ such that the closed ball $B = B[\text{range}(\hat{p}), \varepsilon] = \{x \in \mathbb{R}^n : \text{dist}(\text{range}(\hat{p}), x) \leq \varepsilon\}$ is a subset of $P_{s\theta'}^F$. Since $|\nabla F(x)| < \theta'$ for every $x \in P_{s\theta'}^F$, the compactness of $B[\text{range}(\hat{p}), \varepsilon]$ insures that there exists an $\hat{\varepsilon} > 0$ such that $|\nabla F(x)| < \theta' - \hat{\varepsilon}$ for every $x \in B[\text{range}(\hat{p}), \varepsilon]$. By (4) and (5), there exists a $\delta_c \in (0, \varepsilon/2n^3)$ such that

$$||\nabla F(x)| - |\nabla(F \upharpoonright D)(x)|| < \hat{\varepsilon} \text{ for every } x \in B \cap D \subset \Omega \text{ with } r_\Omega(D) < \delta_c.$$

To see that δ_c is as desired, take a finite subset D of Ω containing C with $r_\Omega(D) < \delta_c < \varepsilon/2n^3$. Then $\varepsilon > 2n^3 r_\Omega(D) \geq 2n\alpha$ since, by (2), $\alpha \leq n^2 r_\Omega(D)$. So, by Lemma 15, there exists a path $p = \langle c_1, \dots, c_k \rangle$ in D from s to c contained in $B = B[\text{range}(\hat{p}), \varepsilon]$. To see that c belongs to $\mathcal{A}_\nabla(F \upharpoonright D, \theta', s)$, it is enough to show that $\mu(p) = \max_{i=1, \dots, k} |\nabla(F \upharpoonright D)(c_i)| < \theta'$. But $|\nabla(F \upharpoonright D)(c_i)| \leq ||\nabla(F \upharpoonright D)(c_i)| - |\nabla F(c_i)|| + |\nabla F(c_i)| < \hat{\varepsilon} + (\theta' - \hat{\varepsilon}) = \theta'$ for every $i = 1, \dots, k$. This finishes the proof of the first inclusion.

For the second inclusion, put $\varepsilon = (\theta - \theta')/2$. Since $|\nabla F(x)|$ is uniformly continuous on Ω , there is a $\delta_1 > 0$ such that $||\nabla F(c) - \nabla F(x)|| < \varepsilon$ for every $c, x \in \Omega$ with $||x - c|| \leq \delta_1$. Use (4) to find a $\delta'' \in (0, \delta_1/n^2)$ such that for every finite $D \subset \Omega$ with $r_\Omega(D) < \delta''$

$$||\nabla F(c) - \nabla(F \upharpoonright D)(c)|| < \varepsilon \text{ for every } c \in D \text{ with } |\nabla(F \upharpoonright D)(c)| \in \mathbb{R}.$$

To see that for such δ'' the second inclusion holds, take set D as above, choose a $c \in \mathcal{A}_\nabla(F \upharpoonright D, \theta', s)$, and let $p = \langle c_1, \dots, c_k \rangle$ be a path in D from s to c such that $\mu(p) = \max_{i=1, \dots, k} |\nabla(F \upharpoonright D)(c_i)| < \theta'$. Let $\hat{p}: [0, 1] \rightarrow \mathbb{R}^n$ be a path from $c_1 = s$ to $c_k = c$ which is a linear segment between any two consecutive spels in p . Then $\text{range}(\hat{p}) \subset \Omega$, since Ω is convex and contains

all spels c_i . We will show that $\mu(\hat{p}) = \sup_{t \in [0,1]} |\nabla F(\hat{p}(t))| < \theta$, which will prove that $c \in P_{s\theta}^F$. Thus, let $x = p(t)$ be on the segment joining c_i and c_{i+1} . Notice that $\|x - c_i\| \leq \|c_{i+1} - c_i\| \leq \alpha \leq n^2 r_\Omega(D) < n^2 \delta'' < \delta_1$, so $\left| |\nabla F(c_i)| - |\nabla F(x)| \right| < \varepsilon$. But

$$|\nabla F(c_i)| \leq \left| |\nabla F(c_i)| - |\nabla(F \upharpoonright D)(c_i)| \right| + |\nabla(F \upharpoonright D)(c_i)| < \varepsilon + \theta'$$

since $|\nabla(F \upharpoonright D)(c_i)| \leq \mu(p) < \theta'$. Therefore, as $\|x - c_i\| < \delta_1$,

$$|\nabla F(x)| \leq \left| |\nabla F(x)| - |\nabla F(c_i)| \right| + |\nabla F(c_i)| < \varepsilon + (\varepsilon + \theta') = \theta,$$

which finishes the proof of the second inclusion.

Let $C = \bigcup_i C_i$. To show that $\lim_{i,\theta}^* \mathcal{A}_\nabla(F \upharpoonright C_i, \theta, s) = P_{s\theta}^F \cap C$ for appropriate C_i 's and s , notice that, by what we have proved, for every $\eta > 0$ and i , there exists an $i_0 > i$ such that, for every $j > i_0$, we have

$$C_i \cap P_{s,\theta-\eta}^F \subseteq \mathcal{A}_\nabla(F \upharpoonright C_j, \theta - \eta, s) \subseteq P_{s\theta}^F \cap C.$$

Thus, $C_i \cap P_{s,\theta-\eta}^F \subseteq \bigcap_{j=1}^\infty \bigcup_{k \geq j} \mathcal{A}_\nabla(F \upharpoonright C_k, \theta - \eta, s) \subseteq P_{s\theta}^F \cap C$ for every $\eta > 0$ and i , so $P_{s,\theta-\eta}^F \cap C \subseteq \bigcap_{j=1}^\infty \bigcup_{k \geq j} \mathcal{A}_\nabla(F \upharpoonright C_k, \theta - \eta, s) \subseteq P_{s\theta}^F \cap C$. Hence

$$P_{s,\theta}^F \cap C = \bigcup_{\eta > 0} P_{s,\theta-\eta}^F \cap C \subseteq \bigcup_{\eta > 0} \bigcap_{j=1}^\infty \bigcup_{k \geq j} \mathcal{A}_\nabla(F \upharpoonright C_k, \theta - \eta, s) \subseteq P_{s\theta}^F \cap C.$$

So, $\lim_{i,\theta}^* \mathcal{A}_\nabla(F \upharpoonright C_i, \theta, s) = \bigcup_{\eta > 0} \bigcap_{j=1}^\infty \bigcup_{k \geq j} \mathcal{A}_\nabla(F \upharpoonright C_k, \theta - \eta, s) = P_{s\theta}^F \cap C$ holds by Proposition 7. \blacksquare

Gradient magnitude $|\nabla f|$: Now, let $C = \Omega_h = \Omega \cap (h\mathbb{Z})^n$ for some $h > 0$ and $\Omega \subset \mathbb{R}^n$, and let $f: C \rightarrow \mathbb{R}^\ell$ be a digital image. For $i = 1, \dots, n$ let e_i be the unit vector in the direction of the i th variable. For $c \in C$ we define an approximate partial derivative $D_i f(c)$ with respect to the i th variable as ∞ if none of the spels $c \pm h e_i$ belongs to C and by a formula

$$D_i f(c) = \max \left\{ \left| \frac{f(c) - f(d)}{h} \right| : d = c \pm h e_i \in C \right\}, \quad (8)$$

otherwise. Then the approximation of the gradient magnitude is defined as

$$|\nabla f(c)| = \left| \langle D_1 f(c), \dots, D_n f(c) \rangle \right| = \sqrt{|D_1 f(c)|^2 + \dots + |D_n f(c)|^2}. \quad (9)$$

Lemma 17 Let F be a function from an open set $\Omega \subset \mathbb{R}^n$ into \mathbb{R}^ℓ and assume that F can be extended to a C^1 function \hat{F} defined on an open set $\hat{\Omega}$ containing the closure $\text{cl}(\Omega)$ of Ω .

The formula given by (9) and (8) satisfies property (4): for every $\varepsilon > 0$ there is a $\delta > 0$ such that for every finite $C \subset \Omega$ with $r_\Omega(C) < \delta$

$$||\nabla F(c) - \nabla(F \upharpoonright C)(c)|| < \varepsilon \text{ for every } c \in C \text{ with } |\nabla(F \upharpoonright C)(c)| \in \mathbb{R},$$

and property (5). Moreover, the appropriate formula can be also found in the general case.

PROOF. For every index $i = 1, \dots, n$ define a function q_i from the set $U_i = \{\langle x, y \rangle \in \text{cl}(\Omega) \times \text{cl}(\Omega) : x_j = y_j \text{ for all } j \neq i\}$ into \mathbb{R}^ℓ by a formula

$$q_i(x, y) = \begin{cases} \frac{\hat{F}(x) - \hat{F}(y)}{x_i - y_i} & \text{if } x_i \neq y_i, \\ D_i \hat{F}(x) & \text{otherwise.} \end{cases}$$

The existence and continuity of the partial derivative $D_i \hat{F}$ implies that q_i is continuous on U_i . (The continuity at points $\langle x, x \rangle$ follows from the Mean Value theorem.) In particular, since U_i is compact, $|q_i|$ is uniformly continuous. So, for every $\hat{\varepsilon} > 0$ there is a $\delta_i > 0$ such that for every $c \in \Omega$

$$\left| \left| \frac{F(c) - F(c + h_0 e_i)}{h_0} \right| - |D_i F(c)| \right| < \hat{\varepsilon} \quad (10)$$

for every real number h_0 with $0 < |h_0| < \delta_i$ for which $c + h_0 e_i \in \Omega$.

Let M_i be the largest value between the numbers $\{|q_i(x, y)| : \langle x, y \rangle \in U_i\}$. It is finite, since U_i is compact. Let $M = \max_{i=1, \dots, n} M_i$. Since function $g(x_1, \dots, x_n) = \sqrt{x_1^2 + \dots + x_n^2}$ is uniformly continuous on $[0, M]^n$, there is an $\hat{\varepsilon} > 0$ such that $|g(x) - g(y)| < \varepsilon$ for every $x, y \in [0, M]^n$ for which $\max_i |x_i - y_i| < \hat{\varepsilon}$. Let δ_i be as above for this particular $\hat{\varepsilon}$ and let $\delta = \min_i \delta_i$. Then this δ satisfies (4). To insure (5) it is enough to take δ less than the distance between B and the complement of Ω , since then $h \leq r_\Omega(C) < \delta$ and for every $c \in B \cap C$ the numbers $c \pm h e_i$ are in C .

The idea behind the definition of $|\nabla f(c)|$ in the general case, as well as the argument required to prove (4) and (5), are similar. However, we need to use the directional derivatives in place of partial derivatives. So, assume that for some $c \in C$ and for every $i = 1, \dots, n$ we have chosen $c_i \in C$ such that the vectors $c_i - c$ are linearly independent. Let $u_i = \frac{c_i - c}{|c_i - c|}$ be

the unit vector in the direction of $c_i - c$. Then the directional derivative of F at c in the direction of vector u_i is equal to $D_{u_i}F(c) = u_i \cdot \nabla F(c)$. Let A be an $n \times n$ matrix whose rows are formed by the coordinates of u_i 's. Then $[D_{u_1}F(c), \dots, D_{u_n}F(c)]^T = A \cdot \nabla F(c)$, where $\nabla F(c)$ is considered as a vertical matrix and T stands for matrix transposition operation. Notice that A^{-1} exists, since vectors u_i 's are linearly independent. Thus, $\nabla F(c) = A^{-1} \cdot D_{\mathbf{u}}F(c)$, where $D_{\mathbf{u}}F(c) = [D_{u_1}F(c), \dots, D_{u_n}F(c)]^T$.

Let $D_{u_i}f(c) = \frac{f(c_i) - f(c)}{|c_i - c|}$, put $D_{\mathbf{u}}f(c) = [D_{u_1}f(c), \dots, D_{u_n}f(c)]^T$, and define

$$\nabla f(c) = A^{-1} \cdot D_{\mathbf{u}}f(c).$$

Then $||\nabla F(c) - \nabla f(c)|| \leq |\nabla F(c) - \nabla f(c)| = |A^{-1} \cdot (D_{\mathbf{u}}F(c) - D_{\mathbf{u}}f(c))|$. Next, we will show that under some assumption on the choice of vectors u_i , there is a constant K such that

$$|A^{-1} \cdot w| \leq K|w| \tag{11}$$

for every vector $w \in \mathbb{R}^n$. So $||\nabla F(c) - \nabla f(c)|| \leq K|D_{\mathbf{u}}F(c) - D_{\mathbf{u}}f(c)|$. By the version of (10) for arbitrary directional derivative, there is a $\delta_0 > 0$ such that $|D_{\mathbf{u}}F(c) - D_{\mathbf{u}}f(c)| < \varepsilon/K$ whenever $|c_i - c| < \delta_0$. Thus, to finish the proof, we need to describe the choice of c_i 's that insures (11) and the inequality $|c_i - c| < \delta_0$ whenever $r_{\Omega}(C) < \delta$.

So, let $r = r_{\Omega}(C)$. For every $c \in C$ and $i = 1, \dots, n$, we will chose $c_i \in C$ in a ball $B(c + 2nr e_i, r)$ if it exists. Otherwise we will put $D_{\mathbf{u}}f(c) = \infty$. Note that, by the definition of $r_{\Omega}(C)$, such c_i exists when $c + 2nr e_i \in \Omega$ and that this happens for every $c \in B$ provided the distance ρ from B to the complement of Ω exceeds $2nr_{\Omega}(C)$. Thus, to insure (5) it is enough to choose $\delta < \rho/2n$. Now, this choice of c_i insures that for $u_i = \frac{c_i - c}{|c_i - c|} = \langle u_i^1, \dots, u_i^n \rangle$ we have $|u_i^i|/n > |u_i^j|$ for all $j \neq i$. It is not very difficult to see that this condition implies (11).

Indeed, first note that for A defined with such u_i 's we have

$$|A \cdot v| \geq \frac{1}{2n^2}|v|.$$

To see this, let i be such that $|v_i| \geq |v_j|$ for all j . For simplicity of notation, we assume that $i = 1$. Then, since $|u_1^1| > 1/2$ and $|v| \leq \sqrt{n}|v_1|$,

$$\begin{aligned}
 |A \cdot v| &= \left| \left\langle \sum_j u_1^j v_j, \dots, \sum_j u_n^j v_j \right\rangle \right| \\
 &\geq \left| \sum_j u_1^j v_j \right| \\
 &\geq |u_1^1 v_1| - (|u_1^2 v_2| + \dots + |u_1^n v_n|) \\
 &\geq |u_1^1 v_1| - (n-1)(|u_1^1|/n)|v_1| \\
 &= |u_1^1| |v_1|/n > |v_1|/2n \\
 &\geq \frac{1}{2n^2} |v|.
 \end{aligned}$$

Now, putting $v = A^{-1} \cdot w$ in the above we get $|w| \leq \frac{1}{2n^2} |A^{-1} \cdot w|$, that is, (11) holds for $K = 2n^2$. ■

Corollary 18 *The gradient based AFC algorithm \mathcal{A}_∇ represents the segmentation model \mathcal{M}_∇ for the class of all functions F from convex bounded open subsets of Ω of \mathbb{R}^n into \mathbb{R}^ℓ which can be extended to a \mathcal{C}^1 function defined on an open set Ω containing $\text{cl}(\Omega)$.*

Why complicated limit \lim^* ? In Theorem 16, we proved that algorithm \mathcal{A}_∇ represents model \mathcal{M}_∇ with respect to the limit notion \lim^* . Does this representation result hold for a simple limit? The following example shows that the answer to this question is negative. More precisely, it gives a simple example of F for which the limit $L = \lim_i \mathcal{A}_\nabla(F \upharpoonright \Omega_{2^{-i}}, \theta, s)$ exists but its closure is considerably larger than $\mathcal{M}_\nabla(F, \theta, s)$. It is also possible to construct a \mathcal{C}^1 function F for which the limit L does not exist. However, such an example must be more complicated than the one provided below.

Example 19 Let $\Omega = (-1, 1)^2$, $F(x, y) = 3x - x^3$, $s = \langle .5, 0 \rangle$, and $\theta = 1$. Then $\mathcal{M}_\nabla(F, \theta, s) = (0, 1) \times (-1, 1)$ while $L = \lim_i \mathcal{A}_\nabla(F \upharpoonright \Omega_{2^{-i}}, \theta, s)$ exists and is dense in the entire Ω .

PROOF. Note that $|\nabla F(x, y)| = 3 - 3x^2$ on Ω . It has a maximum value 1 attained on a line $x = 0$. Then indeed $\mathcal{M}_\nabla(F, \theta, s) = (0, 1) \times (-1, 1)$.

Moreover, for every $i \geq 1$, $\mathcal{A}_\nabla(F \upharpoonright \Omega_{2^{-i}}, \theta, s) = \Omega_{2^{-i}}$, since $|\nabla F \upharpoonright \Omega_{2^{-i}}|(c)$ is always less than the maximum value $\theta = 1$ of $|\nabla F|$ on Ω . (This follows from the Mean Value Theorem, as $|\nabla F \upharpoonright \Omega_{2^{-i}}|(c) = \left| \frac{F(x_1, 0) - F(x_2, 0)}{x_1 - x_2} \right| < 1$ for some $\langle x_1, 0 \rangle, \langle x_2, 0 \rangle \in \Omega_{2^{-i}}$.) Thus, $L = \bigcup_i \Omega_{2^{-i}}$ exists and is dense in Ω . ■

3.2 Second algorithm representing model \mathcal{M}_∇ : Malladi-Sethian-Vemuri level set algorithm \mathcal{A}_{LS}

In this subsection, we will argue that the level set algorithm \mathcal{A}_{LS} , which is essentially the fast marching algorithm described by Malladi, Sethian, and Vemuri in [16] (compare [25, Chapter 17]), also represents the segmentation model \mathcal{M}_∇ for the appropriate class of \mathcal{C}^1 functions $F: \Omega \rightarrow \mathbb{R}^\ell$. Thus, both algorithms \mathcal{A}_∇ and \mathcal{A}_{LS} are model-equivalent.

We use in the above a vague term “argue” rather than “proof,” since the model and the algorithm presented in [16] (as well as in essentially all other papers describing this method, see e.g. books [6, 21, 22]) are in several aspects only sketched, leaving considerable leeway for interpretation. We will choose the interpretations that are the most favorable for our formalism, and only briefly discuss the problems with other interpretations. Moreover, the theoretical justification for the level set algorithm seems not to be fully completed yet. Since we are arguing here that a simple algorithm \mathcal{A}_∇ does the same job as its level set counterpart \mathcal{A}_{LS} even under the assumption that all theoretical gaps for the level set theory can be patched, we feel no need for a completion of the level set theory framework.

The level set delineation model \mathcal{M}_{LS} of the idealized image is described in terms different from the model \mathcal{M}_∇ . Thus, we will start with its description. The model \mathcal{M}_{LS} is applied to an ideal image $F: \Omega \rightarrow \mathbb{R}$, where Ω is an open convex bounded subset of \mathbb{R}^n . Basically, to use \mathcal{M}_{LS} we pick a smooth simple closed surface Γ_0 (diffeomorphic with $(n - 1)$ -dimensional sphere)² inside the region that is to be delineated — it plays the role of a seed — and then we let Γ_0 propagate outward until it reaches the boundary of the region we seek. The propagation is controlled by the speed function v which indicates at every point z on the front the speed $v(z)$ at which this point propagates in the direction normal to the front. The set of points inside the final position of the front represents the output of \mathcal{M}_{LS} . The front Γ_t at

²In the plane, it is a smooth simple closed curve.

time $t \geq 0$ is represented as the zero level set $\{z \in \Omega: \Psi(z, t) = 0\}$ for some function $\Psi: \Omega \times [0, \infty) \rightarrow \mathbb{R}$. To make region R_t inside the front easier to identify, it is also assumed that Ψ is negative inside Γ_t and positive outside Γ_t . In other words, $R_t = \{z \in \Omega: \Psi(z, t) < 0\}$. In [16], the authors define Ψ at time $t = 0$ as a signed distance from Γ_0 , that is, $\psi(z, 0) = \text{dist}(z, \Gamma_0)$ for z outside Γ_0 , and $\psi(z, 0) = -\text{dist}(z, \Gamma_0)$ for z inside Γ_0 .

The boundary of the object is defined as the set of points where the image intensity changes rapidly, that is, when the magnitude of the gradient $|\nabla F|$ is “large.” To force the front propagation “...to stop in the vicinity of the desired objects’ boundaries...” the propagation speed v is defined in such a way that v goes to zero precisely when $|\nabla F|$ approaches the “large” threshold value $\theta \in (0, \infty]$.³ Neither “large value” θ nor formula for v is uniquely defined in [16]. Formulas (13) and (16) from [16] suggest that the speed should be reduced to zero at the points $z \in \Omega$ when $|\nabla F|(z)$ is equal to the maximum M of $|\nabla F|$ on Ω , which means that $\theta = M$. (The authors of [16] do not explain why such maximum should exist.) Alternatively, formulas (14), (15), and (17) from [16] suggest that the speed should be a product of a positive factor independent of F and a number of the form $(1 + |\nabla F|)^{-1}$; that is, the propagation speed should go to zero only as $|\nabla F|$ goes to ∞ , meaning that $\theta = \infty$. The first from these options suggests that $\mathcal{M}_{LS}(F, \Gamma_0)$ is equal to $\mathcal{M}_{\nabla}(F, M, \Gamma_0)$. The second makes $\mathcal{M}_{LS}(F, \Gamma_0)$ equal $\mathcal{M}_{\nabla}(F, \infty, \Gamma_0)$ which, for \mathcal{C}^1 function F , is equal to the entire Ω . To stop the algorithm associated with $\mathcal{M}_{LS}(F, \Gamma_0) = \mathcal{M}_{\nabla}(F, \infty, \Gamma_0)$, the authors arbitrarily introduce the maximum number of algorithm iterations (see [16, page 164]), which produces an algorithm completely inadequate for a theoretical analysis that we wish to attempt. Both of these approaches can be reconciled making the value of \mathcal{M}_{LS} dependent on θ and reducing the propagation speed v to 0, when $|\nabla F|$ reaches θ . For example, we may define $v(x) = (|\nabla F|(x) - \theta)^2$. Then, we define $\mathcal{M}_{LS}(F, \theta, \Gamma_0)$ as the set of all points of Ω that are eventually inside the propagating curve, that is, $\mathcal{M}_{LS}(F, \theta, \Gamma_0) = \bigcup_{t \geq 0} R_t$.

This general setup allows us to relate models \mathcal{M}_{∇} and \mathcal{M}_{LS} as follows.

Lemma 20 $\mathcal{M}_{LS}(F, \theta, \Gamma_0) \subset \mathcal{M}_{\nabla}(F, \theta, \Gamma_0)$ for every \mathcal{C}^1 image $F: \Omega \rightarrow \mathbb{R}^\ell$, $\theta \in \mathbb{R}$, and smooth simple closed surface Γ_0 such that $\Gamma_0 \cup R_0 \subset \mathcal{M}_{\nabla}(F, \theta, \Gamma_0)$.

The assumption $\Gamma_0 \cup R_0 \subset \mathcal{M}_{\nabla}(F, \theta, \Gamma_0)$ ensures that every point z of the initiation set $\Gamma_0 \cup R_0$ satisfies the thresholding condition $|\nabla F(z)| < \theta$.

³Quote comes from the first paragraph of [16, Section III]. A similar statement can be also found in [25, page 220].

PROOF. For $\theta \leq 0$, there is nothing to prove. So, assume that $\theta > 0$. Then $\mathcal{M}_{LS}(F, \theta, \Gamma_0)$ is connected, since it is a union of connected sets $\Gamma_0 \cup R_0$ and the trajectories of points $z \in \Gamma_0$. Thus, it is enough to prove that $\mathcal{M}_{LS}(F, \theta, \Gamma_0) \subset \Omega(\theta)$, as $\mathcal{M}_\nabla(F, \theta, \Gamma_0)$ is the largest connected subset of $\Omega(\theta)$ containing Γ_0 . To see that $\mathcal{M}_{LS}(F, \theta, \Gamma_0)$ is contained in $\Omega(\theta)$, first note that

$$v(z) \neq 0 \text{ for every } z \in \mathcal{M}_{LS}(F, \theta, \Gamma_0). \quad (12)$$

Indeed, take a $z \in \Omega$ with $(|\nabla F(z)| - \theta)^2 = v(z) = 0$. Then, by our assumption, $z \notin R_0$. Let $\hat{t} = \sup\{t \geq 0 : z \notin R_t\}$. If $\hat{t} = \infty$, then $z \notin \mathcal{M}_{LS}(F, \theta, \Gamma_0)$ as desired. If $\hat{t} < \infty$, then z belongs to Γ_t for every $t \geq \hat{t}$, since the speed of propagation of front at z is 0. Then, once again, $z \notin \mathcal{M}_{LS}(F, \theta, \Gamma_0)$, finishing the proof of (12).

Now, if there was $z \in \mathcal{M}_{LS}(F, \theta, \Gamma_0)$ with $|\nabla F(z)| \geq \theta$, then, in view of property (12), each of the open sets $\{z \in \mathcal{M}_{LS}(F, \theta, \Gamma_0) : |\nabla F(z)| < \theta\}$ and $\{z \in \mathcal{M}_{LS}(F, \theta, \Gamma_0) : |\nabla F(z)| > \theta\}$ would be non-empty and they would form a partition of $\mathcal{M}_{LS}(F, \theta, \Gamma_0)$, contradicting its connectedness. Therefore, $\mathcal{M}_{LS}(F, \theta, \Gamma_0) \subset \Omega(\theta)$ and $\mathcal{M}_{LS}(F, \theta, \Gamma_0) \subset \mathcal{M}_\nabla(F, \theta, \Gamma_0)$. ■

The above proof is topological in nature. The other inclusion is also true, but its proof depends on some missing details concerning the definition of \mathcal{M}_{LS} . In particular, we need to clarify the meaning of front propagation, as described in [16]. For every $z \in \Gamma_0$, let $T_z : [0, \infty) \rightarrow \Omega$ be a trajectory of z propagated according to the rules described above. Then $\Psi(T_z(t), t) = 0$ for every z and t . So, its derivative $\frac{d}{dt}\Psi(T_z(t), t) = 0$ is also equal to 0. By using chain rule, it is easy to transform this last equation (see [16] or [25]) to $\frac{\partial \Psi}{\partial t}(T_z(t), t) + v(T_z(t)) \cdot |\nabla \Psi|(T_z(t), t) = 0$, where the gradient $\nabla \Psi$ concerns only spatial variables. In particular, any solution of the PDE

$$\frac{\partial \Psi}{\partial t}(x, t) + v(x) \cdot |\nabla \Psi|(x, t) = 0, \quad x \in \Omega, \quad t \geq 0 \quad (13)$$

with the initial condition $\Psi(\cdot, 0) = \Psi_0$ leads to the unique front propagation and the model \mathcal{M}_{LS} .

Unfortunately, even in very simple cases, (13) does not need to have a smooth solution. (See e.g. [25].) Thus, the authors in [16] consider its weak solution, which satisfies (13) only at the points of differentiability of Ψ . This is good enough, but there are some difficulties. First, in general, the weak solution of (13) does not need to be unique. However, its *viscosity solution*,

introduced by Crandall and Lions [12], is unique and this is the solution chosen in [16].

The viscosity solution of (13) is defined in [16] as a limit $\Psi = \lim_{\varepsilon \rightarrow 0^+} \Psi_\varepsilon$, where Ψ_ε is a solution of

$$\frac{\partial \Psi}{\partial t} + (1 - \varepsilon \kappa) v \cdot |\nabla \Psi| = 0, \quad \Psi(\cdot, 0) = \Psi_0, \quad (14)$$

where $\kappa = \nabla \cdot \frac{\nabla \Psi}{|\nabla \Psi|}$ is the curvature of the level surface. The theoretical value of this approach is based on the following two claims, which were not proved in [16] and which we were unable to locate in the literature in that generality, despite the intensive search and a correspondence with professor Sethian.

(I) PDE (14) has a global smooth solution for smooth Γ_0 and v .

The existence of such a solution is known for some simple speed functions v , but we were not able to find it in that generality required for most imaging tasks. Note that the algorithm from [16] requires only the existence of the solution locally, near the front.

(II) The solutions Ψ_ε of (14) converge to the viscosity solution for (13).

A proof of existence of the viscosity solution for (13) can be found in [1], although the solution is not described as a limit from (II). (Paper [12] contains a proof of uniqueness of the viscosity solution in a general setting, but not the existence.)

In what follows we will assume that (I) and (II) are true. With their help we can prove the equality between models \mathcal{M}_∇ and \mathcal{M}_{LS} .

Theorem 21 $\mathcal{M}_{LS}(F, \theta, \Gamma_0) = \mathcal{M}_\nabla(F, \theta, \Gamma_0)$ for every \mathcal{C}^1 image $F: \Omega \rightarrow \mathbb{R}^\ell$, $\theta \in \mathbb{R}$, and smooth simple closed surface Γ_0 such that $\Gamma_0 \cup R_0 \subset \mathcal{M}_\nabla(F, \theta, \Gamma_0)$.

PROOF. Inclusion $\mathcal{M}_{LS}(F, \theta, \Gamma_0) \subset \mathcal{M}_\nabla(F, \theta, \Gamma_0)$ was proved in Lemma 20. The other inclusion follows, with little work, from [4, lemma 4.4] and properties (I) and (II). ■

The delineation algorithm \mathcal{A}_{LS} described in [16] depends on $\varepsilon > 0$ and finds its value from a numerical approximation for Ψ_ε . In order to prove formally that \mathcal{A}_{LS} represents \mathcal{M}_{LS} , we should first show that, for an appropriate limit notion \lim^\dagger , its output $\mathcal{A}_{LS}^\varepsilon$ satisfies the property: “ $\lim^\dagger \mathcal{A}_{LS}^\varepsilon(F \upharpoonright C, \theta, \Gamma_0)$ is a dense subset of $\{z \in \Omega: \psi_\varepsilon(z, t) < 0 \text{ for some } t \geq 0\}$.” However, we will take this for granted. From this, we can conclude $\mathcal{M}_{LS}(F, \theta, \Gamma_0) = \lim_{\varepsilon \rightarrow 0^+} \lim^\dagger \mathcal{A}_{LS}^\varepsilon(F \upharpoonright C, \theta, \Gamma_0)$, so $\mathcal{A}_{LS}(F \upharpoonright C, \theta, \Gamma_0, \varepsilon) = \mathcal{A}_{LS}^\varepsilon(F \upharpoonright C, \theta, \Gamma_0)$ represents \mathcal{M}_{LS} .

4 Experiments, discussion, and conclusions

Experiment. We compared algorithms \mathcal{A}_∇ and \mathcal{A}_{LS} at the experimental level. The results of the comparison are present at Figure 1. We applied the algorithms to a 2D proton density weighted brain MR image, Fig. 1(a), to delineate the white matter object. The level set results, presented at Fig. 1(c), were obtained with a version of the algorithm \mathcal{A}_{LS} from the open source software ITK [34]. Prior to segmentation, this algorithm uses a non-linear filtering of the image. The results of the applications of the fuzzy connectedness algorithm \mathcal{A}_∇ to the same filtered version of the image are presented at Fig. 1(b). The subtle differences seen in the segmentations are due to different approximations involved in the otherwise equivalent algorithms. In particular, some object areas accessible from its main part by narrow passages (e.g., lower left) are correctly recognized by the AFC algorithm \mathcal{A}_∇ but not by the LS algorithm \mathcal{A}_{LS} . This is due to the fact that \mathcal{A}_{LS} propagates by using a curvature factor $\varepsilon\kappa$. The constant ε must approach 0 to get the same result as the algorithm \mathcal{A}_∇ . However, at the resolution of the provided image, decreasing ε further does not produce the desirable results.




Fig. 1. The white matter (the region with darker intensities) in a 2D proton density weighted brain MR image (left) delineated with \mathcal{A}_∇ (center) and \mathcal{A}_{LS} (right) algorithms.

Robustness and computational cost of \mathcal{A}_∇ and \mathcal{A}_{LS} . One of the disadvantages of the level set algorithm \mathcal{A}_{LS} is its high computational cost. This was recognized by Shi and Karl [27, 28], who devised a fast delineation algorithm \mathcal{A}_{SK} without a simulation of PDE solution, which is the key component of \mathcal{A}_{LS} . It is easy to see that \mathcal{A}_∇ is simpler and faster than \mathcal{A}_{SK} ,

which in turn is simpler and faster than \mathcal{A}_{LS} . Moreover, the output of \mathcal{A}_∇ is robust (i.e., does not depend on the initialization seed set, as long as the set is within the delineated object), as this is true for all AFC algorithms [23]. This is a problem of the other two algorithms (see [27]), although, by Theorems 14 and 21, the limit $\lim^\dagger \mathcal{A}_{LS}$ is robust, assuming that it indeed is equal to \mathcal{M}_{LS} . The main algorithmic difference between \mathcal{A}_{SK} and \mathcal{A}_∇ is that \mathcal{A}_{SK} is roughly equivalent (but not in any sense defined in this paper) to $\mathcal{A}_{LS}^\varepsilon$, while \mathcal{A}_∇ is roughly equivalent to the limit $\lim_{\varepsilon \rightarrow 0^+} \mathcal{A}_{LS}^\varepsilon$. In other words, \mathcal{A}_{SK} is ensuring the smoothness of the propagating front, while we considered smoothness imposed by the term $\varepsilon\kappa$ as an artifact of the method — non-existence of smooth solution to PDE (13) — so we did not include it in the model. Note, that it is still possible to apply some smoothing Gaussian filter, similar to that described in [27, 28], to the boundary of the output of \mathcal{A}_∇ , if smoothness of the output boundary is desired. Such modification of \mathcal{A}_∇ is faster than \mathcal{A}_{SK} and remains robust (in a sense that the output of the algorithm remains unchanged, if the seed set S is replaced by another seed set from the *core of the delineated object*, that is, the output of \mathcal{A}_∇).

Differentiability issue. In models from the previous section we assumed that the image intensity function F is differentiable, so that the thresholding function $G(x) = |\nabla F|(x)$ is well defined. However, the function $\bar{G}(x) = \limsup_{z \rightarrow x} \frac{\|F(z) - F(x)\|}{\|z - x\|}$ is always well defined and agrees with $G(x)$ whenever $G(x)$ is well defined. Thus, in principle, we can define the model \mathcal{M}_∇ for arbitrary image intensity functions. However, in order to prove that \mathcal{A}_∇ represents \mathcal{M}_∇ , some version of property (4) must be satisfied. Similarly, there is no chance for a good behavior of \mathcal{A}_{LS} and \mathcal{M}_{LS} in a general setting. Nevertheless, the representation theorem remains true if we require the limit in $\bar{G}(x)$ to exist, but allow it to be infinite. Moreover, the proof of the representation results can be repeated under weaker assumptions than full continuity of \bar{G} .

Fuzzy connectedness, \mathcal{A}_∇ , versus level set, \mathcal{A}_{LS} , algorithms. In Section 3, we argued that the algorithm \mathcal{A}_∇ is model-equivalent to the level set delineation algorithm \mathcal{A}_{LS} . Since \mathcal{A}_∇ is considerably simpler than \mathcal{A}_{LS} , and since the theory leading to \mathcal{A}_{LS} is not yet fully justified, there is no doubt that algorithm \mathcal{A}_∇ is superior to \mathcal{A}_{LS} . This, however, does not undermine the entire level set front propagation theory, which is used in multitudes of

different image analysis tasks besides image segmentation. Even in image segmentation theory, the level set approach is often used for functional optimization, which is not immediately related to \mathcal{A}_∇ algorithm. Interesting questions arise as to the possibilities of extending the FC framework also to other image analysis tasks.

General segmentation theory. The general theoretical framework formulated in Section 2 sets up the stage for theoretical analysis and comparisons of different delineation and segmentation algorithms, independent of the framework in which they were originally formulated. The comparison from Section 3 is just the first such example. We are currently working on similar analysis concerning other segmentation methods: different forms of level set related algorithms, different versions of fuzzy connectedness algorithms, as well as algorithms that use graph cut and watershed frameworks.

References

- [1] G. Barles and O. Ley, “Nonlocal first-order Hamilton-Jacobi equations modelling dislocations dynamics,” *Comm. Partial Differential Equations* **31**(8) (2006), 1191–1208.
- [2] S. Beucher, “The watershed transformation applied to image segmentation,” in: *10th Pfefferkorn Conf. Signal and Image Processing in Microscopy and Microanalysis* (1992), 299–314.
- [3] Y. Boykov, O. Veksler, and R. Zabih, “Fast approximate energy minimization via graph cuts,” *IEEE Trans. Pattern Anal. Machine Intell.* **23**(11) (2001), 1222–1239.
- [4] M. Burger, *Growth fronts of first-order Hamilton-Jacobi equations*, SFB Report 02-8 (2002); available from the URL: www.sfb013.uni-linz.ac.at/%7Esfb/reports/2002/ps-files/sfb02-08.ps.gz
- [5] A. Chakraborty, L. Staib, and J. Duncan, “Deformable boundary finding in medical images by integrating gradient and region information,” *IEEE Trans. Med. Imag.* **15**(6) (1996), 859–870.

- [6] T. Chan and J. Shen, *Image processing and analysis: variational, PDE, wavelet, and stochastic methods*, Society of Industrial and Applied Mathematics, 2005.
- [7] T.F. Chan and L.A. Vese, "Active contours without edges," *IEEE Transaction on Image Processing* **10** (2001), 266–277.
- [8] K.C. Ciesielski, J.K. Udupa, P.K. Saha, and Y. Zhuge, "Iterative relative fuzzy connectedness for multiple objects, allowing multiple seeds," *Computer Vision and Image Understanding*, to appear; Technical Report MIPG-327, Medical Image Processing Group, Department of Radiology, University of Pennsylvania, Philadelphia, 2005; for preprint see <http://jacobi.math.wvu.edu/~kcies/publications.html>
- [9] K.C. Ciesielski, J.K. Udupa, and Y. Zhuge, "Affinity functions in fuzzy connectedness based image segmentation," Technical Report MIPG-335, Medical Image Processing Group, Department of Radiology, University of Pennsylvania, Philadelphia, 2006.
- [10] T. Cootes, C. Taylor, and D. Cooper, "Active shape models-their training and application," *Computer Vision and Image Understanding* **61** (1995), 38–59.
- [11] T. Cootes, G. Edwards, and C. Taylor, "Active appearance models," *IEEE Trans. Pattern Anal. Machine Intell.* **23**(6) (2001), 681–685.
- [12] M.G. Crandall and P.L. Lions, "Viscosity solutions of Hamilton-Jacobi equations," *Trans. Amer. Math. Soc.* **277** (1983), 1–42.
- [13] A.X. Falcão, J.K. Udupa, S. Samarasekera, S. Sharma, B.E. Hirsch, and R. Lotufo, "User-steered image segmentation paradigms: live wire and live lane," *Graph. Models Image Process* **60**(4) (1998), 233–260.
- [14] C. Imielinska, D. Metaxas, J.K. Udupa, Y. Jin, and T. Chen, Hybrid segmentation of anatomical data. In: *Proceedings of MICCAI* (2001), 1048–1057.
- [15] M. Kass, A. Witkin, and D. Terzopoulos, "Snakes: Active contour models," *Int. J. Comput. Vision* **1** (1987), 321–331.

- [16] R. Malladi, J.A. Sethian, and B.C. Vemuri, "Shape Modeling with Front Propagation: A Level Set Approach," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **17**(2) (1995), 158–175.
- [17] A. Mansouri, A. Mitiche, and C. Vázquez, "Multiregional competition: A level set extension of region competition to multiple region image partitioning," *Computer Vision and Image Understanding* **101** (2006), 137–150.
- [18] T. McInerney and D. Terzopoulos, "Deformable models in medical image analysis: A survey," *Medical Image Analysis* **1**(2) (1996), 91–108.
- [19] D. Morgenthaler and A. Rosenfeld, "Multidimensional edge detection by hypersurface fitting," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **3** (1981), 482–486.
- [20] D. Mumford and J. Shah, "Optimal approximations by piecewise smooth functions and associated variational problems," *Communications on Pure and Applied Mathematics* **42** (1989), 577–685.
- [21] S. Osher and R. Fedkiw, *Level Set Method and Dynamic Implicit Surfaces*, Springer, 2003.
- [22] S. Osher and N. Paragios (Editors), *Geometric Level Set Methods in Imaging, Vision, and Graphics*, Springer, 2006.
- [23] P.K. Saha and J.K. Udupa, "Relative fuzzy connectedness among multiple objects: Theory, algorithms, and applications in image segmentation," *Computer Vision and Image Understanding* **82**(1) (2001), 42–56.
- [24] J.A. Sethian, "Curvature and evolution of fronts," *Comm. in Math. Physics* **101** (1985), 487–499.
- [25] J.A. Sethian, *Fast Marching Methods and Level Sets Methods. Evolving Interfaces in Computational Geometry, Fluid Mechanics, Computer Vision, and Materials Science*, Cambridge Univ. Press, 1999.
- [26] L. Shafarenko, M. Petrou, and J. Kittler, "Automatic watershed segmentation of randomly textured color images," *IEEE Transactions on Image Processing* **6** (1997), 1530–1544.

- [27] Y. Shi and W.C. Karl, "A fast implementation of the level set method without solving partial differential equations," Technical Report ECE-2005-02, ECE Department, Boston University, January, 2005.
- [28] Y. Shi and W.C. Karl, "A fast level set method without solving PDEs," Acoustics, Speech, and Signal Processing, 2005; Proceedings ICASSP'05.
- [29] M. Trivedi and J. Bezdek, "Low-level segmentation of aerial images with fuzzy clustering," *IEEE Trans. Systems, Man, and Cybernetics* **16**(4) (1986), 589–598.
- [30] J.K. Udupa and P.K. Saha, "Fuzzy connectedness in image segmentation," *Proceedings of the IEEE*, **91**(10) (2003), 1649–1669.
- [31] J.K. Udupa, P.K. Saha, and R.A. Lotufo, "Relative fuzzy connectedness and object definition: Theory, algorithms, and applications in image segmentation," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **24** (2002), 1485–1500.
- [32] J.K. Udupa and S. Samarasekera, "Fuzzy connectedness and object definition: theory, algorithms, and applications in image segmentation," *Graphical Models and Image Processing* **58**(3) (1996), 246–261.
- [33] L.A. Vese and T.F. Chan, "A multiphase level set framework for image segmentation using the Mumford and Shah model," *J. Comput. Vis.* **50**(3) (2002), 271–293.
- [34] National Library of Medicine Insight Segmentation and Registration Toolkit, ITK, program "ShapeDetectionLevelSetFilter," available from <http://www.itk.org/HTML/ShapeDetectionLevelSet.htm>